

Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

ABSTRACT OF QUOTATION

SOLICITATION Number RSU-07-18 TOTAL ABC: PhP51,043,000.00 TOTAL QTY: 72

PROCUREMENT OF TECHNICAL AND SCIENTIFIC EQUIPMENT

- LOT-1: CNC Milling with Inter Changeable Programmer & CNC Turning Lathe with Inter Changeable Programmer (ABC: PhP8,500,000.00, QTY: 2)
- LOT-2: Refrigeration & Air conditioning Trainer (ABC: PhP3,500,000.00, QTY: 1)

LOT-3: Feed milling Equipment (ABC: PhP1,252,000.00, QTY: 1)

- LOT-4: Boiler & Steam Jacket Kettle (ABC: PhP4,500,000.00, QTY: 3)
- LOT-5: Backhoe Excavator, Dump Truck & Portable Concrete Mixer (ABC: PhP6,580,000.00, QTY: 4)
- LOT-6: Smart Grid (ABC: PhP10,000,000.00, QTY: 1)
- LOT-7: Electric Machines (ABC: PhP1,500,000.00, QTY: 1)
- LOT-8: Linear Circuit Lab (1), Linear Circuit Lab (2), and Electrical & Electronic Circuit Lab (ABC: PhP2,750,000.00, QTY: 3)
- LOT-9: Digital Logic Lab (ABC: PhP800,000.00, QTY: 1)

LOT-10: Arduino Trainer (ABC: PhP1,000,000.00, QTY: 1)

LOT-11: Raspberry Pi Trainer (ABC: PhP1,000,000.00, QTY: 5)

- LOT-12: Hydraulic Press (ABC: PhP1,500,000.00, QTY: 1)
- LOT-13: Sieve Shaker Machine & I. S. Sieve Set (ABC: PhP350,000.00, QTY: 3)
- LOT-14: Electronic Theodolite (ABC: PhP225,000.00, QTY: 3)
- LOT-15: Handheld GPS (ABC: PhP270,000.00, QTY: 6)

LOT-16: Hydrostatic Bench With Slotted Weight And Tank (ABC: PhP3,955,000.00, QTY: 1)

- LOT-17: Personal Computer with Accessories & A3 Printer with Print Materials (ABC: PhP483,000.00, QTY: 13)
- LOT-18: Structural Engineering Learning Center with Multimedia (ABC: PhP1,800,000.00, QTY: 1)
- LOT-19: LED TV & Digital Camera (ABC: PhP1,078,000.00, QTY: 21)

LOT-1: CNC MILLING WITH INTER CHANGEABLE PROGRAMMER & CNC TURNING LATHE WITH INTER CHANGEABLE PROGRAMMER (ABC: PhP51,123,000.00, QTY: 2)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	CNC milling w/ interchangeable programmer , Work area: travel x/y/z (2000/800/750mm); dist. spindle nose: 0/750mm; no. of axes: 3; motion speed: 50/50/50m/min; clamping area: 2400x750mm; max. Table load: 2200kg; tool change: no. of tool station: 30; max. Tool dia.: 75(125mm) milling spindle: max. Speed: 15000rpm; max. torque: 125n-m;	1		
unit	CNC turning lathe w/ inter changeable programmer , Work area: travel x/y/z (160/+40/-30/510mm); bar dia.: 45(51mm); Max. Turning dia.: 300mm; swing over bed: 430mm; rapid motion speed in x/y/z: (30m/min/15m/min/45m/min); max. Speed: 7000 rpm max. Power: 15kw; max. Torque: 100n-m counter spindle: max. Speed: 7000rpm; max. Power: 15kw; max. Torque: 100n-m; tailstock: VDI size: 25; no. of tools: 12; driven tools: 12; max. Speed: 6000rpm; max. Power: 4kw; max. torque: 16n-m	1		
TOTAL	QTY	2	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-2: REFRIGERATION & AIR CONDITIONING TRAINER (ABC: PhP3,500,000.00, QTY: 1)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	REFRIGERATION & AIRCONDITIONING TRAINER , Power input: AC220V; ±10% (50HZ) Bench structure: Aluminum iron Refrigerant: Air conditioning (R22); Refrigeration (R134a) Instrument: digital voltmeter and ammeter Safety: short circuit; overload and leakage protection.	1		
TOTAL	QTY	1	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-3: FEED MILLING EQUIPMENT (ABC: PhP1,252,000.00, QTY: 1)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Feed milling equipment , with: 5-tonner hammer mill, diesel engine driven, 18-30hp, fine sieve; flatbed dryer, 50 cavans capacity, rice hull furnace, motorized fan; ribbon mixer, 10 bagger, with conveyor and bagger; bag stitcher; weighing scale, 250 kg capacity.	1		
TOTAL	QTY	1	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-4: BOILER & STEAM JACKET KETTLE (ABC: PhP4,500,000.00, QTY: 3)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Boiler , 10 boiler horsepower, diesel fuel burner, vertical fire tubes, complete with safety controls, 4-header, with insulation,	1		
unit	Steam jacketed kettle , stainless steel food grade, ¼"thick, with detachable mechanical stirrer, insulated steam lines from header, with drain.	2		
TOTAL	QTY	3	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-5: BACKHOE EXCAVATOR, DUMP TRUCK & PORTABLE CONCRETE MIXER (ABC: PhP6,580,000.00, QTY: 4)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Backhoe Excavator with air conditioned cab and concrete breaker attachment, CDM 6150 – Original Cummins Engine 4BT, Komatsu counterpart PC150, Chain type, 0.56 cu m. bucket capacity.	1		
unit	Dump Truck with air conditioned cab, ETX Auman 12 wheeler, 25cu.m. WP12.380E32, 11596cc, 380HP	1		
unit	Portable Concrete Mixer , 1 bagger mixer, with diesel or gasoline engine, 18HP, with wheels	2		
TOTAL	QTY	4	ESTIMATED COST	

Republic of the Philippines ROMBLON STATE UNIVERSITY Odiongan, Romblon

Website: www.rsu.edu.ph

Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-6: SMART GRID (ABC: PhP10,000,000.00, QTY: 1)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED
unit	SMART GRID:	1	031
	THREE-PHASE SUPPLY UNIT. This power supply unit must be suitable three-phase		
	connection with 4-pole cam mains switch. 25 A current operated earth leakage		
	circuit breaker, sensitivity 30 mA. Three-phase indicator lamps. Output through 5		
	safety terminals: L1, L2, L3, N and PE. Switch for simulation of wind or		
	photovoltaic energy power source. Modbus RS485 Protocol Communication. This		
	module must have insulated type front panel with the electrical scheme; it must		
	include also safety terminals. THREE-PHASE TRANSFORMER-didactic equipment 3		
	pcs. Inree-phase transformer for feeding a transmission line model 380 kV with		
	Scale factor 1.1000.		
	• 3 x 380 V windings with tap at 220 V		
	Star or delta connection		
	Secondary		
	• 3 x 220 V windings with taps at +5%,-5%,-10%,-15%		
	• Star connection for 3 x 380 V		
	 Various star connections possible 		
	• Rated power: 800 VA		
	FEEDER MANAGER RELAY-didactic equipment. Three-phase Current, Voltage and		
	Earth Fault multifunction relay for protection and management of MV/HV		
	distribution lines. Real time measurements of the primary value of the input		
	quantities are continuously available from relay's display and from the serial communication port. Relay's programming and setting must be made directly by		
	the front face keyboard or via the serial communication ports. Setting event		
	recording and oscillography must be stored into non-volatile memory (E2prom)		
	The relay must be fitted with a multi-voltage, auto ranging power supply unit		
	self- protected and transformer isolated.		
	• Three levels for phase overcurrent independently programmable as directional		
	or non-directional.		
	• Three levels for Earth Fault independently programmable as directional or non-		
	directional.		
	• Selectable Time current curves according to IEC and IEEE standards.		
	• Two over/under voltage levels.		
	I wo over/under frequency levels. Zera seguence evenueltage level		
	Zero sequence overvoltage level. Two Negative Sequence current levels		
	One Positive Sequence overvoltage level		
	One Negative Sequence under-voltage level.		
	• Two Reactive Power (VAR) control levels (optional).		
	• Trip circuit supervision.		
	 Associated Circuit Breaker control (OPEN / CLOSE) 		
	• Breaker failure protection.		
	RS232 serial communication port on Front Face		
	• RS485.		
	• Output relays totally user programmable.		
	• Digital inputs user programmable.		
	transmission line 360 km long voltage 380 kV and current 1000 Λ • Scale factor:		
	Line resistance: 13 Ω , line inductance: 290 mH, mutual capacitance: 1 uF. earth		
	capacitance: 2 μ F earth resistance: 11 Ω , earth inductance: 250 mH.		
	LINE MODEL-didactic equipment. Three-phase model of an overhead power		
	transmission line 100 km long, voltage 380 kV and current 1000 A • Scale factor:		
	1:1000.		
	MAXIMUM DEMAND METER-didactic equipment 3 pcs. The module must consist		
	of a microprocessor controlled three-phase power analyzer. It must have		
	insulated front panel and it must be suitable for the measurement of voltages,		

"Readiness to Serve the region in Utilizing resources for higher education"



ROMBLON STATE UNIVERSITY Odiongan, Romblon Website: www.rsu.edu.ph Tel No. (042) 567 - 5273/5859/6	234	Tele Fax No. (042)	567-5270
currents, frequencies, active power, reactive power, apparent power. Input voltage: 450 V (max 800 Vrms). Input current: 5 A (max 20 Arms). Operating frequency: 47 \div 63 Hz. Auxiliary supply: single-phase from mains on the front papel, it must include a PS485 port, on/off switch and LCD display with the			
following features: energy count: 8 digit counter reading updates: 1, 1 seconds. The module must be supplied with manual in English language. POWER CIRCUIT BREAKER-didactic equipment 3 pcs. Three-phase power circuit			
 breaker with normally closed auxiliary contact. Contact load capability: 400 Vac, 3 A Supply voltage: single-phase from mains. 			
The item must include two light push buttons (one red and one green) and must have insulated front panel. The unit must be supplied with a manual in English language.			
GENERATOR SYNCHRONISING RELAY-didactic equipment. It must consist in a numerical synchronizing relay which measures voltage and frequency of two inputs; The voltage, frequency and phase angle of the Generator input (G) must be individually compared with those of the Bus input (B) considered as reference.			
 Automatic Synchronization and Synchro-check. Fast proportional Voltage and Frequency regulation. Phase displacement checking with circuit breaker closing time control. Anti-motoring 			
 Kicker pulse Event Recording. Modbus Communication Protocol. Synchronizing of the generator with the 			
 reference bus Normal/Dead Bus operation modes Adjustable Operate time delay. Adjustable Max Voltage difference Anti-motoring control Automatic Adjusting of phase on pla for giographic logical designs. 			
 Automatic Adjusting of phase angle for circuit breaker close. Adjustable Max Frequency difference. Adjustable Max Phase displacement. Adjustable Increase/Decrease pulses to speed regulator. 			
 Adjustable increase/Decrease pulses to speed regulator. Adjustable Increase/Decrease pulses to voltage regulator. Adjustable Min/Max Bus voltage for synchronizing operation. Adjustable Min/Max Bus frequency for synchronizing operation. 			
 Kicker pulse control on steady phase displacement Fast synchronization with control pulses proportional to speed and voltage difference 3 Digital Inputs optically isolated 2kV. 			
<i>MOTOR-DRIVEN POWER SUPPLY UNIT</i> -didactic equipment. Housed in metallic box with PVC label. Suitable for power supplying with variable voltage the braking systems and the excitation of the machines through manual or automatic			
operation. According to the IEC standards, must be arranged on the front panel, clearly interconnected through a schematic diagram. Technical features:			
 Automatic power supply unit with the following features: Continuously adjustable output voltage: 0 to 210V • fixed output current: max 2A • magneto-thermal protection • analog signal INPUT terminal and connectors: 			
0 to 10V The module must be equipped with: Pilot lamp Potentiometer for variable regulation. Control system selection switch (auto - manual). Magneto-thermal protection of variator, Terminals for system connection, Ground			
supplied with a manual in English language <i>ELECTRICAL POWER DIGITAL MEASURING UNIT</i> -didactic equipment 2 pcs. It must			
energy. Measurement in alternate current of: voltage, current, power and energy, reactive energy, apparent energy, cosphi and frequency. Main technical features: DC voltage: 300 Vdc - DC current: 20 Adc - AC voltage: 450 Vdc - AC			
current: 20 Aac - Power: 9000 W Power supply: single-phase, 90-260 V, 50/60 Hz Communication: RS485 with MODBUS RTU protocol. The unit must be supplied			
didactic equipment 2 pcs. Module for the study of automatic control for a brushless motor. • Control and operation of a brushless motor in voltage. The system must allow the study of the operation of a brushless motor of typical			

"Readiness to Serve the region in ${\mathcal U}$ tilizing resources for higher education"



ROMBLON STATE UNIVERSITY Odiongan, Romblon

Website: www.rsu.edu.ph Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

industrial process automation. The student must have the opportunity to learn to		
control and parameterize an automatic operation. The control and monitoring		
system must be e done through software that will be able to: • Set system		
parameters • Draw graphic curves • Monitor real-time system (torque, speed)		
Specifications: 1kW power brushless motor with electronic encoder. Mechanical		
braking system for the analysis of the couple. Encoder outputs for the analysis of		
speed. Display system for controlling and monitoring events. Button start and		
stop action and automatic stop intervention in case of alarm. Complete software		
for PC interfaced to the system via RS485. THREE-PHASE SYNCHRONOUS		
MACHINE-didactic equipment machine with smooth inductor and three-phase		
stator armature winding for operation either as an alternator or as a		
synchronous motor. Technical features: Power: 1 kWA-Voltage: 220/380 V D/Y -		
Current: 2.6/1.5 A D/Y-Speed: 1500 rpm-Excitation winding on the rotor. It must		
be possible to couple the electrical machine with other electrical machines		
through a hub and spider elastic gear ring in polyurethane. It must be supplied		
with a hooked module in aluminum with PVC label and safety terminals for the		
electrical connection. A schematic diagram must be shown on the hooked		
module. Each machine must be mounted on a base and must be provided with:		
 Plate that brings its axis height to the standard measure (112 mm). 		
 Plates for fixing to the base of the machine 		
- Four screws for fixing of the machine Inter Rail Distance of the plates: 160mm		
Coupling Joint: Diameter: 40mm, length 40mm. The motor must be supplied with		
manual in English language.		
RESISTIVE LOAD-didactic equipment. It must consist of a single or three-phase		
resistive step-variable load.		
MECHANICAL FEATURES: metallic box: on the front panel all the controls, the		
protections, the output terminals and a schematic diagram on PVC label must be		
shown.		
ELECTRICAL FEATURES		
The load must be composed by three resistances, with possibility of star, delta		
and parallel connection, controlled by a three switches. As a function of the		
switch positions, there must be the following phase values: Position Resistance		
Max power per phase		
2 750 Ohm 65 W		
2 / 30 Ohm 05 W		
4 300 Ohm 160 W		
5 213 Ohm 230 W		
6 150 Ohm 330 W		
7 123 Ohm 400 W		
Maximum power in single or three phase connection is 1200 W. Rated voltage in		
star connection 380 V. in D connection is 220V. in single-phase 220V. The unit		
must be supplied with a manual in English language.		
INDUCTIVE LOAD-didactic equipment. It must consist of a single or three-phase		
inductive step-variable load. Housed in a metallic box.		
MECHANICAL FEATURES: metallic box: on the front panel all the controls, the		
protections, the output terminals and a schematic diagram on PVC label must be		
shown.		
ELECTRICAL FEATURES		
The load must be composed by three inductances, with possibility of star, delta		
and parallel connection, controlled by a three switches. As a function of the		
switch positions, there must be the following phase values: Position Inductance		
Max. Power per phase		
1 4.46 H 34 VAr		
2 3.19 H 48 VAr		
3 1.84 H 83 VAr		
4 1.27 H 121 VAr		
5 0.90 H 171 VAr		
6 0.64 H 242 Var		
7 0.52 H 297 VAr		
Max reactive power 890 VAr in three-phase or single-phase connection. Rated		
voitage in star connection 380V, in D connection is 220V, in single-phase 220V.		
i në unit must be supplied with a manual in English language.		

"Readiness to Serve the region in Utilizing resources for higher education



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270



Readiness to Serve the region in Utilizing resources for higher education Page 9 of 25



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

	cell for measuring of solar radiation and with a sensor temperature PANEL WITH			
	It must be possible to adjust manually or automatically the light intensity			
	controlled by a potentiometer through a 0-10 V input, to allow to perform			
	experiments with different light intensities, then simulating the light conditions			
	from dawn to dusk.			
	• 4 halogen lamps 300 W each			
	 Dimmer to control the intensity of light 			
	• 10 A Differential Circuit Breaker			
	• 10 k Potentiometer			
	WIND SIMULATOR			
	System composed of: wind speed and direction sensor, power supply, fan,			ļ
	potentiometer, measurement circuit, RJ45 and RS485 port. It must allow			ļ
				ļ
	which different canacitance values that must be possible to connect to the weight			Į
	for reactive nower compensation. Four switching lovels each consisting of 2			
	capacitors in star connection with discharging resistors:			ļ
	• level 1 (b1 coil): 3 x 2 uF/450 V			ļ
	• level 2 (b2 coil): 3 x 4 uF/450 V			
	• level 3 (b3 coil): 3 x 8 μF/450 V			
	• level 4 (b4 coil): 3 x 16 µF/450 V			ļ
	Compensation power: max 1360 VAr at 50 Hz, 380 V. It must be possible to			
	control separately each switching level:			
	 Internally, through 4 toggle switches 			
	• Externally, through 4 control inputs Coil operating voltage: 220 Vac.			
	REACTIVE POWER CONTROLLER-didactic equipment. Relay for automatic			
	adjustment of the power factor in systems with inductive load. Power factor			
	adjustment range: 0.9 0.98 ind Sensitivity: 0.2 1.2 K 2 decimal digit display,			
	output relay for patteries connection: 4 NO contacts with LED indication, Output			
	induction in the second s			
	ACOUISITION-didactic equipment 6 analog inputs 914-bit 1965/s 2 analog			
	outputs (12-bit): 12 digital I/O: 32 – bit counter LISR Rus-nowered built – in			
	signal connectivity. Frequency range: dc to 80 kHz. Input voltage: Max 620			
	Vdc/460Vac, Input resistance Ri = 1 MW, Three-stage attenuator: 1:1: 1:10:			
	1:100, Accuracy;: +/- 2% of full scale range, Input current: Max:10A continuous.			
	16 A fort<15min; 20A for t<2 min, Internal resistance: 30mW, Two-stage			
	attenuator: 1VA; 1/3 V/A, Accuracy: +/- 5% of full scale range, Computer all-in-			
	one for smart grid system Signal Bar, Mains sockets, Socket Extension, Insolation			
	transformer. UNIVERSAL BASE 2 pcs-Didactic equipment: this item must consist			
	of a steel alloy varnished structure mounted on anti-vibration rubber feet,			
	provided with slide guides for the fixing of one or two machines and with a			ļ
	coupling guard. Complete with a device for the locking of the rotor of the slip ring			
	asynchronous machines in the short-circuit test. Composition: -Light alloy base,			
	reverse on the upper supporting planes, with two guides for all the couplings of			
	the mounted arranged to be fixed to a supporting plane. Removable butt street in			
	varnished plate. Elack for the blocked rotor tost in varnished light allow			
	CONNECTING LEADS kit of cables with security plugs of different colours, length			
	and sections. DOUBLE 3 LEVELS FRAMF WORK TABLE 2 nrs			
			ESTIMATED	
OTAL	QTY	1	COST	
		ii		L



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-7: ELECTRIC MACHINES (ABC: PhP1,500,000.00, QTY: 1)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	ELECTRIC MACHINES – OPENLAB - 0.2 Kw Dissectible Electrical Machine Manual Configurations. Fully dissectible experimental rotating machines system ,Ac/dc power supply, Loads and Rheostat Module ,Electrical Power Measurement Module, Electrical and Speed Measurement, Multi-meter with virtual instrumentation, Parallel Board, Star/Delta Starter, Starting and Synchronization, Fault Simulators, Pole Changing Unit, Electromagnetic Brake, Adapter Bracket, Locking and Rotating Device, Motor Driven AC/DC Power Supply. Mechanical Power Measurement Module, Load Cell 100 N Motor Driven Resistive Load Unit Motor Driven Power Supply for Brake Computerized Data Acquisition System Via USB Data Acquisition and Processing Software for Electric Machines.	1		
TOTAL	QTY	1	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-8: LINEAR CIRCUIT LAB (1), LINEAR CIRCUIT LAB (2), AND ELECTRICAL & ELECTRONIC CIRCUIT LAB (ABC: PhP2,750,000.00, QTY: 3)

UNIT		QTY	ESTIMATED UNIT COST	ESTIMATED COST
	LINEAR CIRCUIT LAB (1) - Electric Circuits Lab Includes:			
	TINA Design Suite Educational Edition			
	1. DC Power Supply			
	(1) Fixed DC power supply			
	a. Voltage range : ±5V, ±12V			
	b. With output overload protection			
	(2) Dual DC power supply			
	a. Voltage range : ±3V~±18V, continuously adjustable			
	b. With output overload protection			
	2. AC Power Supply			
	(1) Voltage range : 9V~0V~9V			
	(2) With output overload protection			
	3. Function Generator			
	(1) Output waveform : Sine, square and triangle			
	(2) Output frequency : 10 Hz~100 KHz, 4 settings,			
	continuously adjustable			
	(3) Accuracy : ±5% of full scale value			
	(4) Output impedance : 50Ω			
unit	(5) Output voltage : ≥18vp-p (open loop) ≥9vp-p (with 50Ω load)	1		
	4. 3 1/2-Digit Digital Voltmeter / Ammeter			
	(1) DC voltage range : 2V. 200V			
	(2) DC voltage accuracy : $\pm 0.3\%$ of reading + 1 digit			
	(3) DC current range : 200µA, 2000mA			
	(4) DC current accuracy : $\pm 0.5\%$ of reading + 1 digit			
	5. Analog Meters			
	(1) AC current : 0 ~ 100mA ~ 1A			
	(2) AC voltage : 0 ~ 15V			
	(3) DC current : 0 ~ 100mA ~ 1A			
	(4) DC voltage : 0 ~ 20V			
	6. Speaker one 8Ω , 0.25W speaker with driver circuit			
	7. Variable Resistors			
	(1) $1K\Omega$, 0.25W variable resistor with 3 terminals (A,B,C)			
	(2) 10K Ω , 0.25W variable resistor with 3 terminals (A,B,C)			
	(3) 100K Ω , 0.25W variable resistor with 3 terminals (A,B,C)			
	(4) $1M\Omega$, 0.25W variable resistor with 3 terminals (A,B,C)			
	8. Breadboard (AC-90001) 1680 tie-point breadboard on top panel			
	can be easily put into and taken off.			



Website: www.rsu.edu.ph Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

	LINEAR CIRCUIT LAB (2) - Electronic Circuits Lab Includes:		
	TINA Design Suite Educational Edition Main Unit (KL-21001)		
	1. DC Power Supply		
	(1) Fixed DC power supply		
	a. Voltage range : ±5V, ±12V		
	b. With output overload protection		
	(2) Dual DC power supply		
	a. Voltage range : ±3V~±18V, continuously adjustable		
	b. With output overload protection		
	2. AC power supply		
	(1) Voltage range : 9V~0V~9V		
	(2) With output overload protection		
	3. Function Generator		
	(1) Output waveform : Sine, square and triangle		
	(2) Output frequency : 10 Hz~100 KHz, 4 settings,		
	continuously adjustable		
	(3) Accuracy : ±5% of full scale value		
unit	(4) Output impedance : 50Ω	1	
	(5) Output voltage: ≥18Vp-p (open loop) ≥ 9Vp-p (with 50Ω		
	load) 4. 3 1/2-Digit Digital Voltmeter/Ammeter		
	(1) DC voltage range : 2V, 200V		
	(2) DC voltage accuracy : ±0.3% of reading + 1 digit		
	(3) DC current range : 200µA, 2000mA		
	(4) DC current accuracy : ±0.5% of reading + 1 digit		
	5. Analog Meters		
	(1) AC current : 0 ~ 100mA ~ 1A		
	(2) AC voltage : 0 ~ 15V		
	(3) DC current : 0 ~ 100mA ~ 1A		
	(4) DC voltage : 0 ~ 20V		
	6. Speaker one 8Ω , 0.25W speaker with driver circuit		
	7. Variable Resistors		
	(1) $1K\Omega$, 0.25W variable resistor with 3 terminals (A,B,C)		
	(2) 10K Ω , 0.25W variable resistor with 3 terminals (A,B,C)		
	(3) 100K Ω , 0.25W variable resistor with 3 terminals (A,B,C)		
	(4) $1M\Omega$, 0.25W variable resistor with 3 terminals (A,B,C)		



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

	ELECTRICAL AND ELECTRONIC CIRCUIT LAB- Includes: TINA Design			
	Suite Educational Edition Main Unit (KL-22001)			
	1. DC Power Supply			
	(1) Fixed DC power supply			
	a. Voltage : 5V, 12V			
	b. With output overload protection			
	(2) Dual DC power supply			
	a. Voltage range : 3V~ 18V continuously adjustable			
	b. With output overload protection			
	2. AC Power Supply			
	(1) Voltage range : 9V~0V~9V			
	(2) With output overload protection			
	3. Signal Generator			
	(1) Pulse generator : (TTL level)			
	a. Frequency range : 1Hz~10KHz/4 settings, continuously			
	adjustable			
	h Fan out · 10 TTI load			
	(2) Pulse switches			
	2) independent output TTL level			
	a. 2 independent output, $T \in \mathbb{R}^{2}$			
	c, Ean out : 10 TTL load			
	(2) Data switches			
	(3) Data switches			
	a. 8 set independent control output IIL level with			
		4		
unit	b. Fan out : 10 TTL Ioad	T		
	4. Function Generator			
	(1) Output waveform : Sine triangle, square			
	(2) Output frequency : 10°100KHz/4 settings, continuously			
	adjustable			
	(3) Output amplitude : \geq 18Vpp (open circuit) \geq 9Vpp (50 Ω			
	load)			
	5. Testing And Display			
	(1) 3 1/2 digital voltmeter /ammeter			
	a. DC voltage range : 2V 200V			
	b. DC voltage accuracy : (0.3% of reading+1digit)			
	c. DC current range : 200μA 2000mA			
	d. DC current accuracy : (0.5% of reading +1digit)			
	(2) Galvanometer			
	a. Current range : 50mA			
	b. Accuracy Class 2.5			
	(3) LED indicator			
	a. 10 sets independent LED indicates high, low logic state			
	b. Input impedance : ≥100K Ω			
	(4) Digital display			
	a. 2 sets independent 7-segment LED			
	b. With BCD-7segment decoder/driver and DP Input			
	c. Input with 8-4-2-1 code			
	6. Breadboard (AC-90001) 1680 tie-point breadboard on top panel			
	can be easily put into and taken off			
τοτλι	Ωτν	2	ESTIMATED	
IGIAL	QIT	5	COST	

Republic of the Philippines ROMBLON STATE UNIVERSITY Odiongan, Romblon

Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-9: DIGITAL LOGIC LAB (ABC: PhP800,000.00, QTY: 1)

Website: www.rsu.edu.ph

UNIT	ITEM DESCRIPTION	Ο ΤΥ	ESTIMATED UNIT COST	ESTIMATED COST
	DIGITAL LOGIC LAB			
	Includes: TINA Design Suite Educational Edition. Main Unit (KL 31001)			
	1. Dual DC Power Supply			
	(1) Voltage range : +5V, 1.5A; -5V, 0.3A; ±12V, 0.3A			
	(2) With output overload protection			
	2. Adjustable DC Power Supply			
	(1) Voltage range : +1.5V~+15V			
	(2) Maximum current output : 0.5A			
	(3) With output overload protection			
	3. Standard Frequency			
	(1) Frequency : 1MHz, 60Hz, 1Hz			
	(2) Accuracy : ±0.01% (1MHz)			
	(3) Fan out : 10 TTL load			
	4. Clock Signal Generator			
	Frequency : 1Hz-1MHz (6 ranges)			
	a. 1Hz ~ 10Hz d. 1KHz ~ 10KHz			
	b. 10Hz ~ 100Hz e. 10KHz ~ 100KHz			
	c. 100Hz ~ 1KHz f . 100KHz ~ 1MHz			
	(2) Fan out : 10 TTL load			
	5. Data Switch			
	(1) 8-bit DIP switch x 2, 16-bit TTL level output			
	(2) Toggle switch x 4, each with DEBOUNCE circuit			
	(3) Fan out : 10 TTL load			
unit	6. Pulser Switch	1		
	(1) 2 sets of independent control output	_		
	(2) Each set with Q, Q output, pulse width > 5ms			
	(3) Each set of switch with DEBOUNCE circuit			
	(4) Fanout: 10 TTL load			
	7. Line Signal Generator			
	(1) Frequency : 50 / 60Hz			
	(2) Output voltage : 6Vrms			
	(3) With overload protection			
	8. Thumbwheel Switch 2-digit, BCD code output and common point input			
	9. Logic Indicator			
	(1) 16 sets of independent LED indicates high and low logic state			
	10. Digital Displays			
	(1) 4 sets of independent 7-segment LED display			
	(2) With BCD, 7-segment decoder 7 driver and DP input			
	(3) Input with 8-4-2-1 code			
	11. Logic Probe			
	(1) FIL and CIVIOS level			
	(2) SMM LED displays			
	(5) LO and HI LED display low and high logic state respectively			
	12. Speaker (1) One 80. 0.2EW speaker with driver circuit			
	12 Proodboard Modules (AC 00001)			
	(1) 1600 tio point broadboard on ton panel can be pacify by international (1) 1600 tio point broadboard on ton panel can be pacify by international (1)			
	(1) 1000 tie-point breauboard on top panel can be easily put into and			
	נמוכדו טוו.			
TOTAL	QTY	1	COST	
			(031	



Republic of the Philippines ROMBLON STATE UNIVERSITY Odiongan, Romblon

Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-10: ARDUINO TRAINER (ABC: PhP1,000,000.00, QTY: 1)

Website: www.rsu.edu.ph

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	ARDUINC TRAINER1. Power Input: AC 110/220V, 50/60Hz, Output: +5V/1.5A, +3.3V/0.5A2. Control Board, Arduino UNO R3, Core: ATMEGA328P, Digital IO: 14(D0-D13), Analog IO: 6(A0-A5), PVM Output: 6 (D3, D5, D6, D9, D1, D11),Support AREF pin, Support Tx/Rx pin, Support 12C interface, Support ISPdownload Programming interface: USB Type-B.3. Input Module Digital Input 4x4 Key Pad: Touch Button DIP Switch: 8 pinAnalog Input Slide Potentiometer: 20KΩ x 2 Joystick x 1Microphone x 1Sensor Input CDS Sensor x 1 Temperature & Humidity Sensor x 1Accelerometer: 3-axis Ultrasonic x 1 Infrared transmitter & receiver x 3.4. Output Module LED Matrix Display: 8x8 4-Digit 7-Segment Display LEDBar: 10 bit RGB LED x 20 LCD Display: 16x2 (Serial & Parallel) Raly: 5V, 2sets DC Motor: 5V, 2 sets Step Motor: 12V, 7.5 deg/tick Servo Motor:4.8V-6V Electromagnetic Buzzer x 25. Communication Module Wi-Fi: ESP8266 x 1 Bluetooth: HCO5 x 16. Other Module Solder less Breadboard: 81x62mm, 456 tie points List ofExperiments9. Buzzer application: Mono tone output/ Multi tone output / Songplaying• LED matrix display: Static & dynamic• A-digit 7-segment display: Basic output/ Digital clock• Relay control• High power LED application: PWM control with slide potentiometer and PC• Microphone application: Light detector• Classical RGB LED control: Static/Dynamic display• Serial RGB LED control: Static display• Serial RGB LED control: Display temperature• Ultrasonic application: Distance measurement• Accelerometer application: Display temperature <td>1</td> <td></td> <td></td>	1		
TOTAL	QTY	1	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-11: RASPBERRY PI TRAINER (ABC: PhP1,000,000.00, QTY: 1)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Raspberry Pi Trainer	1		
TOTAL	QTY	1	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-12: HYDRAULIC PRESS (ABC: PhP1,500,000.00, QTY: 1)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Hydraulic Press, Hot and Flat PressTotal pressure: 1200kNWorking layers: 3Unit pressure: 3.7kgf/cm2Platen No.& Size: 4-2500x1300x42mmOpening: 120mmCylinder No. & Diameter: 8-φ 85mmHeating way: electric heatedInstalled power: 52.75kwClosed speed: 40mm/s	1		
TOTAL	QTY	1	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-13: SIEVE SHAKER MACHINE & I. S. SIEVE SET (ABC: Php350,000.00, QTY: 3)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Sieve Shaker machine, Motorized with_Built-in Digital Timer	1		
unit	I.S. sieve set:, I.S. Sieves 100 mm, 63 mm, 10 mm, 4.75 mm, 2mm, 1mm, 600u, 425u, 300u, 212u, 150u 75u sieves	2		
TOTAL	QTY	3	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-14: ELECTRONIC THEODOLITE (ABC: PhP225,000.00, QTY: 3)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Electronic Theodolite: Angle Measurement: Accuracy - 5", minimum Reading 1"/5"/10". Compensating range: +/- 3'; level parameter: Circular level - 8'/2mm. Plate level: 30"/2mm* Telescope: 30x magnification; field of view - 2.6% min, focus - 1.3m; optical aperture-45mm; length of sleeve-155mm; resolving power-2.5"; stadia ratio - 100	3		
TOTAL	QTY	3	ESTIMATED COST	



.ph Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-15: HANDHELD GPS (ABC: PhP270,000.00, QTY: 6)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Handheld GPS, Worldwide base map 2.2" 65K color, sunlight readable display 3-axis compass and barometric altimeter wireless capability to share waypoints, routes and geocaches with other similar devices GPS and GLONASS satellites for faster positioning	6		
TOTAL	QTY	6	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-16: HYDROSTATIC BENCH WITH SLOTTED WEIGHT AND TANK (ABC: PhP3,955,000.00, QTY: 1)

UNIT	ITEM DESCRIPTION				QTY	ESTIMATED UNIT COST	ESTIMATED COST		
unit	Hydrosta Storage pyncmete	tic Bench w capacity: er: 50 ml	<u>/ith s</u> 50	lotted w liters	veight and ta Densities:	i nk, Tank: Volume	1		
TOTAL						QTY	1	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-17: PERSONAL COMPUTER WITH ACCESSORIES & A3 PRINTER WITH PRINT MATERIALS (ABC: PhP483,000.00, QTY: 13)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Personal Computer with Accessories, Intel Core i7, 4GB RAM, 1TB	10		
unit	A3 Printer with print materials, Model: MFC-J3720	3		
TOTAL	QTY	13	ESTIMATED COST	

"Readiness to Serve the region in Utilizing resources for higher education Page 23 of 25



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-18: STRUCTURAL ENGINEERING LEARNING CENTER WITH MULTIMEDIA (ABC: PhP1,800,000.00, QTY: 1)

UNIT	ITEM DESCRIPTION		QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	Structural Engineering Learning Center with multimedia		1		
TOTAL		QTY	1	ESTIMATED COST	



Tel No. (042) 567 - 5273/5859/6234

Tele Fax No. (042) 567-5270

LOT-19: LED TV & DIGITAL CAMERA (ABC: PhP1,078,000.00, QTY: 21)

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
unit	<u>Classroom LED TV</u> , 50 inch with_swinging mount, Ultra high definition, USB & HDMI ready, with 3 meters HDMI cable.	20		
unit	<u>Camera</u> , Digital single lens reflex with standard & lens built-in flash, 12 mega pixels minimum, with camera bag sling and tripod.	1		
TOTAL	QTY	21	ESTIMATED COST	