



Republic of the Philippines
ROMBLON STATE UNIVERSITY
 Odiongan, Romblon
 Tel No. (042) 567-5273
 Email: romblonstateu@gmail.com
 URL: rsu.edu.ph

BIDS AND AWARDS COMMITTEE

REQUEST FOR QUOTATION
Solicitation No. RSU-2021-02-028
Quotation No. 21-03-042

Date : March 8, 2021
Company Name: _____
Address : _____

Sir/Madame:

Please quote your lowest price on the Item/s below, subject to the terms and Conditions and Eligibility Requirements for the Suppliers, stating the shortest time of the delivery and submit your quotation duly signed by your representative not later than **March 11, 2021** at exactly 5:00 in the afternoon in the return envelope attached herewith.

Project: Procurement of Construction Supplies for Different Units of Romblon State University
ABC: PhP523,108.00
QTY: 1665

UNIT	ITEM DESCRIPTION	QTY	ESTIMATED UNIT COST	ESTIMATED COST
bag	Cement	15		
bags	Cement	25		
bags	Tile Adhesive (25kg/bags)	15		
cu. m.	Sand (Fine)	9		
cu.m.	Sand	3		
gal	Flat Latex White	1		
gal	Gloss Latex White	1		
gal	Masonry Putty	1		
gal	Paint Thinner	1		
kg	Concrete nails 3"	5		
kg	Tile Grout	10		
kg	#16 G.I Tying Wire	2		
kgs	C.W. Nails 4"	4		
kgs	C.W. Nails 3"	4		
kl	Tying Wire	12		
li	Flat Enamel White	1		
li	Gloss Enamel Chocolate Brown	1		
li	Glazing Putty	1		
meter	Hard Ware Cloth (Wire Mesh)	2		
pairs	Paleta	2		
pc	Aluminum Ladder, Size: 8ft., Load Capacity: 375lbs, wt.: 33.5lbs.	1		
pc	Drill Machine, Power Input: 550w, No. of Load Speed: 0-2700 rpm, impact rate at No. Load Speed: 0-41600 rpm, Drilling dia. In Concrete: 13mm, Drilling dia. In Steel: 10mm, Drilling dia. In Wood: 25mm, wt.: 1.8kg, Voltage: 220v	1		
pc	Grinding machine, Voltage: 220v, wt: 3.75lbs., Wheel dia.: 4 1/2", 4 1/2" Angle Grinder, Grinding Wheel Guard, Auxiliary Handle, Inner Clamping & Spanner Wench	1		
pc	1,5,2,5,10,50,250,1000 3% Full Scale Reading FSR, AC Volts: 10,50,2501 kv 4% FSR, DC Current: 50mA, 2.5mA, 250mA, 3% FSR, Resistance: X1, X10, X100, X1k, 10K, Transistors: h2z 0-1000-ICE0, 150mA, 1.5mA, 15mA, 150mA, Accessories: Test Leads Manual 9V1 (2) 1.5V AA BAT, INC, Dimension: 529/32HX323/32 W-X 1 1/4 (D), wt.: 9.9oz	1		
pc	Long Nose Plier, Jaw Capacity: 14 AVG IN, Overall Length: 8", Overall Length: 200mm, Style: Long Nose	1		
pc	Pipe Bender, Bends 1/2 (12mm) Thin Wall Conduit to 4" (10mm), Cast Iron made, Smooth Side Walls which Grip Conduit to Minimize Distraction	1		
pc	Heat Gun, amp: 13amprs., Cord Length: 10ft., Temp: 120 to 1100 Degree F", Watts: 1550w, Weight: 2.1Lbs., Power Tools Type Corded	1		
pc	Blow Torch (Gas) materials: Mapp-Gas, for Brazing, Torch with Egnifier, Heavy Duty Quality, Disposable Tank	1		
pc	Jackhammer (Portable) Blows per min.: 2900 BPM, Impact energy: 5.6ft-lbs/7.6 Joules, Vibration: 8m/sq.se, Tool Holder: 17mm Hexagonal Shank, Overall Length: 16-5/s, Net wt.: 12.8lbs, Voltage: 220v	1		

 Supplier's Printed Name/Signature

"Serving with Honor and Excellence!"



Republic of the Philippines
ROMBLON STATE UNIVERSITY

Odiongan, Romblon
 Tel No. (042) 567-5273
 Email: romblonstateu@gmail.com
 URL: rsu.edu.ph

BIDS AND AWARDS COMMITTEE

pc	Adjustable Wrench 8", crv: Adjustable Clamp, Size: 0-24mm, Length: 150mm (6")	1		
pc	Magnetic Level Bar (60am/24"), Quality Materials: Aluminum Alloy Frame, Performance: High Visibility, Easy to Found in the Workplace, TPR Soft Rubber(3): Built in Spirit Bubbles, Horizontal/Vertical & 45 Degree, Strong Magnetic Absorption	1		
pc	Rubber Mallet Hammer (500g)	2		
pc	Cold Chisel (Sinsil) Pointed	3		
pc	Cold Chisel (Sinsil) Flat	3		
pc	Bathroom Mirror 40cm x 60cm	2		
pc	Cold Chisel (Sinsil) Pointed	1		
pc	Cold Chisel (Sinsil) Flat	1		
pc	Heavy Duty Hacksaw Frame	1		
pc	Paint Roller	1		
pc	GI Pipe 1 & 1/2" Ø Gauge 40	10		
pcs	Slotted Angle Bar 3/16" x 1 1/2" x 10" (Gray Color)	215		
pcs	Bolt w/ Nut & Washer 8mm x 20mm	900		
pcs	3/4" x 4' x 8' Marine Plywood	24		
pcs	4" Steel Cutting Disc	5		
pcs	Claw Hammer Mode: Wooden Claw Hammer, Product Measure: 34 x 15 x 3.5, Product wt.: 0.88kg	4		
pcs	360g, PVC: Anti Clip Handle, Materials: Made of Forged Carbon Steel	2		
pcs	Diagonal Side Cutter, Plier Size appx: 11.5cm or 4.5", Materials: #55 Carbon Steel Bl Dipped Handle	2		
pcs	Sledge Hammer (2.5kls.), Head wt.: 1.5-5kg, Handle materials: Wooden Hammer, Overall Length: 650mm, Item Weight: 5.8kg	3		
pcs	Cutting disk 4"	50		
pcs	Tape Measure (5Meters) manual Powerful Stop Button, w/ Metric and Inch Blade and with Magnetic Hook, max Length of 16ft Lock Lever Tape Measure	2		
pcs	60cm x 60cm Glazed Tiles (Same in Existing)	80		
pcs	4" Stone Cutting disk	7		
pcs	4"CHB	120		
pcs	10mmØ x 6m RSB	12		
pcs	Hacksaw Blade	3		
pcs	Masonry Drill Bit 1/8	3		
pcs	Masonry Drill Bit 3/8	3		
pcs	Masonry Drill Bit 5/16	2		
pcs	Paint Brush 2"	2		
pcs	Sanding paper #100	10		
pcs	Sanding Paper #220	10		
set	Screw Driver, Tip Type: PO21DRIV Slotted, Screw Driver Type: Standard, No. of pcs.: 6pcs, Tip Size: 3 (Slotted)mm	1		
set	Open Wrench, Size: 3/8 to Line, Length: 5" to 9", 6pcs, Material: Chrome Vanadium Steel	1		
set	Socket Wrench (Heavy Duty) (1/4"-7/8"), 10mm to 32mm, 24pcs, Drive: 1/2 DR. Socket Wrench 8ft. 6 Points, Materials: Chrome Vanadium Steel w/ Accessories	1		
set	Phase Sequence Tester Connection Type: Test Lead, Over Voltage Category: CAT III 600v, Safety Category: CAT III 600v, Dimension: 106x75x40mm, wt.: 350g, Length: 106mm, Max Freq.: 60hz, Min. Freq.: 50hz, Width: 75mm, Safety Category Volt: 600v, Min Volt: 110v, Safety Category Level: CAT III, Model no P-KEW8031F, Max Volt: 600v	1		
set	Pressure Washer (Poertable), Voltage 220v/240v, Rated Power: 1400 watts, Rated Pressure: 80 Bar, Max Pressure: 110 Bar, Rate Flow: 5.5l/min, Max Flow:6.5l/min, Cable Length: 5m	1		
set	Ratchet cable Puller, Model: JX-20 Hang Power Puller Wire Rope Ratchet, Tighten Tool Hand Operated Cable Puller 1T, Materials: Ally Steel, Item Weight: 1.3kg, max Load: 1 Ton/1,102lbs, Wire Ramob: 4-22mm, 25-120 Squares	1		
set	Brush Cutter, engine Model IE407, Engine Type: Air Colled 2 Stroke, Engine Power 1.45 kw/6500-7000r/min, Displacement: 40.2cc Carburator Float Type Gasoline 2 Cycle, OIC Mixing Ratio 25:1, Idling Speed: 2800-3200r/min, Fuel Tank-Cap: 850mi, Pipe Diameter: 28mm, Engine N.M.: 3.9kg, machine wt.: 7.5kg, Extended Dimension: 1850, 520, 400mm Carrying Type Side Attached, Mixing Ratio: Every 1 Liter Gasoline is 50ml of 2T	1		
set	Sledge Hammer (5lbs)	1		
set	Angle Grinder 4" w/ Carrying Case	1		
set	Bathroom Rack Organizer Shelf bath Towel Rack	2		
set	3-Layer Bathroom Shower Wall Mounted Space Stainless Steel Towel Holder	2		
set	3-Layer Bathroom Punching Space Aluminum Storage Shampoo/ Shelf w/	2		

Supplier's Printed Name/Signature

"Serving with Honor and Excellence!"



Republic of the Philippines
ROMBLON STATE UNIVERSITY
 Odiongan, Romblon
 Tel No. (042) 567-5273
 Email: romblonstateu@gmail.com
 URL: rsu.edu.ph

BIDS AND AWARDS COMMITTEE

BIDS AND AWARDS COMMITTEE				
	Hooks/ Shoulder Gel Corner Racks			
set	Fixed Glass with Transom 1m x 40cm with 2x4 Aluminum Tubular Framing (White) with Reflective Glass (Green) with Installation	24		
set	Glass Partition with Sliding Door 7" x 8" with 2x4 Aluminum Tubular Framing (White) Reflective Glass 6mm Thick with Complete Accessories and installation	1		
set	Fixed Smoke Glass with Tubular 1 3/4" x 1 3/4" Aluminum (White) with Installation (9ft. X 4ft.)	1		
set	Sledge Hammer (5 lbs)	1		
set	Heavy Duty electric Drill with Hammer	1		
set	2.10m x 0.8m Wooden Door with Door Jamb, Good Quality with Door Knob with Flat Enamel, Glazing Putty and Chocolate Brown paint Finish	1		
sets	Body Harness, Full Body Harness with Double Lanyard and Shock Absorber Regulation for Legs and Shoulder strap, Features: 4D Rings for 4 Positioning Safety Harness Webbing 45mm Harness with Dorsal	3		
sets	3" x 3" Door Hinges	3		
unit	Bolt Cutter, Heavy Duty Bolt Cutter Tubular handle 24" Jaws Tempered HRC-60 (FBS Standard)	1		
unit	Flashlight (Rechargeable), Torch, Lamp Type: LED, Luminosity 3601m, IP Rating: IP 67, Range: 200, Length: 1.55mm, wt. w/ bat.:0.34kg, Color black, Case materials: Plastic	1		
unit	Bathroom Shower Heater 6.0 kw	2		
units	Clamp Tester Analog, Max (Input) AC: 600 A, Max AC Volt Input: 600v, Power Supply: 1.5v AA Bat, wt.: 3909/13.8oz, Dimension: (CHXWXD) 220 x 83 x 40mm	2		
TOTAL		QTY	1665	ESTIMATED COST

Yours


BILSHAN F. SERVANEZ, Ph. D.
 BAC Chairperson

Canvassed by:

Larry I. Firmalo
 Procurement Officer

 Supplier's Printed Name/Signature

"Serving with Honor and Excellence!"



Republic of the Philippines
ROMBLON STATE UNIVERSITY
 Odiongan, Romblon
 Tel No. (042) 567-5273
 Email: romblonstateu@gmail.com
 URL: rsu.edu.ph

BIDS AND AWARDS COMMITTEE

Date: _____

BIDS & AWARDS COMMITTEE (BAC)
 ROMBLON STATE UNIVERSITY
 Odiongan, Romblon

Sir;

After having carefully read the terms and conditions of RFQ, I/We quote on the item/s at the prices noted above.

Yours,

 Printed Name / Signature

Delivery Period : _____
 Warranty : _____
 Price Validity : _____
 Tel. No. /Cellphone No.: _____
 Email Address : _____
 Date : _____

REQUEST FOR QUOTATION

Terms & Conditions:

1. All entries must be type/hand-written.
2. Delivery period within 15 calendar days.
3. Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for equipment, from the date of acceptance by the procuring entity.
4. Price validity shall be for a period of three months.
5. PhilGEPS registration Certificate shall be attached upon submission of the quotation.
6. Bidder shall submit original brochures showing certifications of the production being offered.
7. Payment shall be made after the inspection.
8. Deliver items at Supply Office, Romblon State University, Odiongan, Romblon (042-567-5375)

CHECKLIST OF ELIGIBILITY REQUIREMENTS FOR THE BIDDERS/SUPPLIERS:

The Eligibility Envelope shall contain the following:

1. Mayor's/Business permit
2. PhilGEPS Registration Certification
3. Income/Business Tax Return
4. Omnibus Sworn Statement

Note: Submitted documents must be properly authenticated.