

#### Republic of the Philippines

### ROMBLON STATE UNIVERSITY Odiongan, Romblon

Tel No. (042) 567-5273 Email: <a href="mailto:romblonstateu@gmail.com">romblonstateu@gmail.com</a>

URL: rsu.edu.ph

### BIDS AND AWARDS COMMITTEE

### **TECHNICAL SPECIFICATIONS**

Solicitation No. RSU-2021-07-065 ABC: PhP1,661,700.00 QTY: 96

## Procurement of ICT Equipment for the Different Units and Offices of Romblon State University (Repost)

| UNIT   | ITEM DESCRIPTION  | STATEMENT OF COMPLIANCE |
|--------|---|-------------------------|
| bottle | Ink for Printer (Black) Universal 1L/color (Refill)   |                         |
| bottle | Ink for Printer (Cyan) Universal 1L/color (Refill)  |                         |
| bottle | Ink for Printer (Magenta) Universal 1L/color (Refill)   |                         |
| bottle | Ink for Printer (Yellow) Universal 1L/color (Refill)  |                         |
| рс     | Ink, Latex, 831b, 775 ml, Black   |                         |
| рс     | Ink, Latex, 831b, 775 ml, Cyan  |                         |
| рс     | Ink, Latex, 831b, 775 ml, Light Cyan  |                         |
| рс     | Ink, Latex, 831b, 775 ml, Light Magenta   |                         |
| рс     | Ink, Latex, 831b, 775 ml, Magenta   |                         |
| рс     | Ink, Latex, 831b, 775 ml, Yellow  |                         |
| рс     | MikroTik CCR1016 12G rackmount 12x Gigabit Ethernet CPU TLR4 - 01680 CPU core count - 16 Operating System - Router OS color touchscreen LCD Size of RAM - 2GB |                         |
| рс     | Optimizer, 831b, 775 ml   |                         |
| рс     | Printhead, Latex, Cyan/Black, CZ677A  |                         |
| рс     | Printhead, Latex, Magenta/Light Cyan, CZ679A  |                         |
| рс     | Printhead, Latex, Optimizer, CZ680A   |                         |
| рс     | Printhead, Latex, Yellow/Magenta, CZ678A  |                         |
| ream   | Bond Paper Subs. 20 8.5" x 13", Legal size  |                         |

### Republic of the Philippines

## ROMBLON STATE UNIVERSITY Odiongan, Romblon

Tel No. (042) 567-5273 Email: <a href="mailto:romblonstateu@gmail.com">romblonstateu@gmail.com</a>

URL: rsu.edu.ph

| ream | Bond Paper Subs. 20, 8.5" x 11", Letter size  |  |
|------|---|--|
| roll | Sticker, Satin Paper, 42inx600m, 200gsm   |  |
| roll | Sticker, Vinyl, Clear, 4.5ftx164ft, 200gsm  |  |
| roll | Sticker, Vinyl, Gloss, 3.5ftx164ft, 200 gsm   |  |
| roll | Sticker, Vinyl, Matte, 3.5ftx164ft, 200 gsm   |  |
| roll | Tarpaulin, Generic, 10 oz., non-powderized/non-porous, 4.5ftx164ft  |  |
| set  | Desktop Computer, Model: 3671 Core i5-9400/8GB/ITB/2GB/GeForce 1030/Windows 10 w/23-inch Monitor, tech Specs: Processor: 8th Generation Core i5-6400 processor 2.8 GHz (6M cache, up to 4.0 GHz, memory: 8GB Single Channel DDR3L 1600MHZ(8GB x 1), Hard Dirve: 1TB 7200 rpm SATA 6GB/s Hard Drive Graphics: NVIDIA GeForce 1030 2GB GDDR%, Optical Drive: Tray Load DVD Drive (Read and Writes to DVD/CD) keyboard: KB126 Wired Keyboard Black Display: 23-INCH S2319H Display. Mouse: Optical Mouse-MS 116-Black. Software: Pre Installed McAfree Security Center 15 Month Subscription, Operating System: Windows 10 Home(64 bit) Single Language English, Warranty: 1 yr, Pro Support: NBD onsite ServicePh Ports & Slots; 1. Power button, 2.5-in-2 Multi-Card Reader, 3. Audio Combo Jack, 4. (2) USB 3.0 ports, 5. Optical Drive, 6. Air vent, 7. Line in/out & mic, 8. VGA, 9. HDMI, 10. (4) USB 2.0 ports, 11. Ethernet. |  |
| unit | 55" 4K UHD Smart TV/HDR 3-Side Beezel-less Design Crystal Processor 4K Digital TV Ready; Resolution: 3840 x 2160 Wide Color Enhancer 120Hz Motion Rate SN:OA2M3NDNC00517  |  |

### Republic of the Philippines

### **ROMBLON STATE UNIVERSITY**

Odiongan, Romblon Tel No. (042) 567-5273 Email: <a href="mailto:romblonstateu@gmail.com">romblonstateu@gmail.com</a>

URL: rsu.edu.ph

|      | ·  |  |
|------|--|--|
| Unit | Computer Printer (3 in 1 printer) Features: Color print, Inkjet Printer, Flatbed colour imae scanner, 5760x1440 DPI Print Resolution; Print Speed for Black is 33 ppm and 15 ppm for colour; Scanning method is CIS; Network is USB, Paper tray capacity is 100 sheets.  |  |
| unit | Copier: General Warm up time: 31 Seconds/first ouput speed 8.8 seconds/continous output speed: 20 pages per minute/memory Standard: 256MB/Dimensions (WxDxH) 587 x 581 x 461mm/ Weight 28.5kg/power source: 220-240V. 50/60Hz Copier copying process: Lasser Beam scanning & electro Photograpic printing/multiple copying up to 99 copies/ Resolution up to 600 dpi /Zoom From 50% to 200% Printer printer language standard: GDI/Resolution: 600dpi/Interface standard: USB 2.0 Option: Ethernet 10 BaseT/100 base-TX (DDST Unit) Network Protocol: TCP/IP (IPv4)/ Windows environments, Windows Vista, Windows 7, 8/8.1Windows server 2003, Windows server 2003R2. Windows server 2008, Windows server 2008R2, Windows server 2012R2/ UNIX environments: Open SUSE (KDE &Gnome): v12 1: Ubuntu (Unity): v12.04:RedHat:v6.0 Boss:v5 SCANNER Scan Speed Colour:Maximum 6 originals per minute:B/W: Maximum 15 originals per minute/Resolution Maximum: 600 dpi/Interface Standard USB 2.0; Option: Ethernet 10-Base-T/100 BASE-TX (DDST Unit)/File Format TIFF,JPEG,PDF/Bundled drivers: TWAIN, SANE, Network TWAIN (Option) Scan to e-mail/Folder Paper Handling Recommended paper size Paper tray(s): A3, A4,A5, Bypass tray: A3, A4, A5,A6; Standard: 350 sheets; Maximum: 1,350 sheets/ |  |

### Republic of the Philippines

### **ROMBLON STATE UNIVERSITY**

Odiongan, Romblon Tel No. (042) 567-5273 Email: <a href="mailto:romblonstateu@gmail.com">romblonstateu@gmail.com</a>

URL: rsu.edu.ph

|      | Paper output capacity Standard: 250 sheets/Paper weight: Standard paper tray(s) 52-105 g/m2, Bypass tray: 52-216 g/m2; Duplex: 64-105 g/m2 Ecology Power consumption: Less than 950W/ Ready mode: 92 W/ Sleep mode: 2.7W/TEC (Typical Electricity Consumption): 1,480 W/h lx 500 - sheet paper tray  |  |
|------|--|--|
|      | (maximum 2 units), Network controller (DDST Unit),<br>Bypass with free lifetime Warranty on labor and<br>Services 1 year warranty on parts Quarterly<br>Maintenance  |  |
| unit | Desktop computer Processor: Core i3-7100, 3.9 GHZ socket, FCLA 1151; mainboard: 8250M-A LGA 1151, Processor sockets & supports DDR 4 memory; Memory crucial 4 GB DDR4; 128 GB SSD5; mouse and Keyboard: A4tech usb; AOC 12280SW LED22 class 21.5" LED monitor with VGA and DVI S/N: AFAJ89A003706 port; casing: Aero Cool GT CPU Casing with 800 watts power supply: AVR   |  |
| unit | Digital Copier with: Toner, Platen Coiver, Cabinet and Developer: 600 dpi copier res. w/ digital enhanced, 16mb Copier memory w/ electronic Sorting, Lazer Bean scanning & 600 dpi Electronic Photographic printing, 50% to 200 zoom range in 1% steps, 18 copies per minute 1 standard paper tray and 1 bypass tray, up to 99 sets of multiple copying, 6.5 first copy speed, less than 15 sec warm up time, with enlarger and reducer, 64mb Printer Memory, Standard Printer and scanner, Standard USB Interface |  |

### Republic of the Philippines

## ROMBLON STATE UNIVERSITY Odiongan, Romblon

Tel No. (042) 567-5273 Email: <a href="mailto:romblonstateu@gmail.com">romblonstateu@gmail.com</a>

URL: rsu.edu.ph

| unit | DSLR Camera with accessories:  Model: XT200/X-T200 Digital Mirrorless Camera with XC15-45mm;  Sensor Size: APS-C Camera Format; Resolution: 24MP; Max video quality: 4K 30fps; Special Features: Bluetooth, Built-in flash, Mic input, Touchscreen; 4.2MP APS-C CMOS Sensor; UHD 4K and Full HD Video Recording; 2.36mm-Dot OLED Electronic Viewfinder; and 3.5" 2.76m-Dot Articulating Touchscreen.  |  |
|------|---|--|
| unit | Laptop, 15.6" Windows 10 (64 bit) OS; 1.6Hz core i5-4200U, 32MB HD Graphics4400 4096MB DDR3 SDRAM 1, 600MHZ 500GB 5,400 Rpm hard drive 802, 11b/g/n wireless, bluetooth 4.0 HDMI and VGA; 2USB 2.0, 1 USB 3.0 SD card reader Internet, 802.11 n Wifi, Bluetooth, w/ webcam.   |  |
| unit | Laptop,Model: XPS 13 9300 Processor: 10th Generation Core i7-1065G7 Processor (8MB Cache, up to 3.9 GHz) Operating System: Microsoft Windows 10 Pro 64-bit Video Card: Iris Plus Graphics with shared graphics memory Display: 13.4-inch FHD+ (1920 x 1200) Infinity Edge display, 500-nit, 100% sRGB color gamut, 1800:1 contrast ratio, anti-glare Memorty: 16GB LPDDR4x Dual Channel SDRAM at 3733MHz Hard Drive: 512GB M.2 PCIe NVMe Solid State Drive Ports: 1 microSD card reader v4.01 3.55mm Headphone/Microphone Combo Jack 1 type-C to USB-A v3.0 adapter ships standard Dimension & Weight: Height: 14.8mm (0.58") x Width: 296mm (11.6") x Depth: 199mm (7.8") Starting weight: 1.2kg (2.65lbs.)4 for non-touch; 1.27kg (2.8lbs)4 for touch Camera: Widescreen HD (720p) 2.25mm webcam Audio and Speakers: 3.5mm headphone/microphone |  |

# Join Market Control of the Control o

### Republic of the Philippines

### **ROMBLON STATE UNIVERSITY**

Odiongan, Romblon Tel No. (042) 567-5273 Email: <a href="mailto:romblonstateu@gmail.com">romblonstateu@gmail.com</a>

URL: rsu.edu.ph

|       | combo jack with 360-degree Waves NX 3D virtual        |  |
|-------|---|--|
|       | surround with headtracking via headphones             |  |
|       | Wireless: AX1650 (2x2) built on Intel Wifi 6 Chipset  |  |
|       | + Bluetooth 5.0 primary                               |  |
|       | Battery: 52WHr battery (Integrated)5                  |  |
|       | Laser printer (Black and White) Print speed black     |  |
|       | Normal; Up to 28 ppm, Up to 1200x1200 dpi, print      |  |
|       | Resolution Technologies, HP FastRes 1200, Print       |  |
| Unit  | technology:Laser, Processor Speed 800 MHz,            |  |
|       | Memory is up to 256 MB and paper handling             |  |
|       | input/output is 150 sheet with 3 extra units of toner |  |
|       | catridge.   |  |
| Unit  | Office table/study desk 1,2m Dimension:120(w) x       |  |
| Offic | 57.5 (D) x 74(H)cm with drawers                       |  |
|       | Printer, All in One with CISS (5 in 1) Multi-function |  |
| !4    | (Printer, Scanner, Copier) with CISS, Automatic       |  |
| unit  | Document Feeder (ADF), Multi-page Scanning and        |  |
|       | Copying.  |  |
|       | Steel Cabinet: 4 Layer Vertical Cabinet               |  |
| unit  | Gauge 20 thickness                                    |  |
|       | Central Lock  |  |
|       | Powder coated   |  |
|       | Dimensions W90 x 45 x 138cm                           |  |
| unit  | UPS, 1500VA   |  |
|       |   |  |

| Name and Signature of the Bidder/Authorized Representative |
|--|
|  |
| Name of the Company  |