## **Price Schedule for Goods Offered from Within the Philippines** [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

## For Goods Offered from Within the Philippines

Name of Bidder

Project ID No.<u>RSU-2023-05-041</u> (repost)

Page \_\_\_\_of\_\_\_\_

1	2	3	4	5	6	7	8	9	10
ltem	Description	Country of origin	QTY	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
1	High Speed HDMI to HDMI cable digital video with Audio (M/M), Black (15m)		9						
2	Heavy Duty Laminating Machine (13", 4 Rollers, A3 size) Heavy Duty Laminating Machine (13", 4 Rollers, A3 size) Pre-heating time 4-5min, Max width: 330mm, Max Thickness 1mm, MQ320 – reverse/forward function and cold mounting, MQ320A – reverse/forward function with additional manual function (anti-brown out) and cold mounting.		1						
3	Rechargeable Valve Regulated Lead Acid Battery (VRLA); NPW36-12; 12 volts 36 Watts		10						
4	Desktop Computer; Processor:		2						

	10 <sup>th</sup> Generation (Comet Lake)  8 cores & 16 Threads   2.9 Ghz Clock Speed   4.8 Ghz Maximum Turbo Frequency   LGA 1200 Socket   Dual-Channel DDR4-2933 Memory   Intel Optane Memory Support Motherboard: Intel B560 (LGA 1200)   PCIe 4.0   two M.2 slots   8 power stages   Intel 1 Gb Ethernet   Display Port   Dual HDMI   rear USB 3.2 Gen Type-C   V-M.2 Key E slot for Wi- Fi   Aura Sync   Addressable RGB   MATX motherboard Memory: 16 GB DDR4 5000 MHz Storage: 500GB SSD Up to 560 MB/s sequential read and 530MB/s write Storage: 500 GB SSD Up to 560 MB/s sequential read and 530 MB/s write GPU: Radeon RX 6500 XT   PCI Express 4.0 OpenGL®4.6   Video Memory 4GB GDDR6 Casing: Corsair 5000D with 600 watts power supply for fan Keyboard and Mouse: MasterSet MS120 Display: at least 19" full HD Display with HDMI, DVI port AVR: 500 watts					
5	All in One MULTI-FUNCTIONAL BORDERLESS PHOTO L850 Printer, Print Method: On-demand ink jet (piezoelectric) Nozzle Configuration: 90 nozzles, each color (Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black) Print Direction: Bi-direction printing, Unidirectional printing,	2				

	Maximum Resolution: 5760x1440 dpi (with Variable-sized Droplet Technology) Minimum Ink Droplet Volume: 1.5pl				
6	Wi-Fi Dongle Dual-Band 802.11ac, Frequency: 2Ghz Signal Rate: 600Mbps(2.4Ghz), 1,300Mbps(5Ghz)	5			
7	Air Conditioner, 2.5HP Split Type (see attachment)	1			
8	Printer, ADF, color 1.44" LCD display, Maximum speed 33 ppm in black and 15 ppm in color (draft) <sup>†</sup> . Up to 10 ppm in black and 5 ppm in color (ISO), With maximum resolution of 1200 x 2400 dpi., Print 100, Borderless printing - 3.5 x 5 inches (9 cm x 13 cm), 4 x 6 inches (10 cm x 15 cm). Wireless printing4 - Wi-Fi Direct® and Ethernet for work groups. Dimensions: Open: 14.8 x 22.8 x 10 inches (375 x 578 x 253 mm) Closed: 14.8 x 13.7 x 9.3 inches (375 mm x 347 mm x 237 mm), Weight:11 lb (5 kg) excludes inks and cables	1			
9	Stand Fan Power; Consumption (W) 65; Fan Features Oscillating; Fan Blade Materials Metal; Number of Blades: 3; Blade Side (inches): 16	2			

10	USB 64 gb Available capacities: 64 GB, Performance/speed: Read speeds up to 80MB/s** Dimensions: 2.24" x 0.84" x 0.43" (56.8 mm x 21.3 mm x 10.8 mm), Operating temperature: 32° - 113° F (0° – 45° C), Storage temperature: 50° - 158° F (-10° – 70° C) Compatibility: USB 3.0 and USB 2.0	4			
11	Glass board Magnetic Dry Erase 60" W x 48" H, Magnetic Dry Erase (with installation)	2			
12	Printer 3 in 1 Print Method: inkjet (piezoelectric) printer Language: ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 Nozzles Black, 59 x 1nozzles per color (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440dpi Automatic 2-sided printing: No	2			
13	Wireless microphone with speaker Frequency Range: UHF550-980MHz Total Number of 256 Frequency Points Dynamic Range: 110dB THD: 0.5% Frequency Response: 35Hz to 20 Khz±3dB Signal-to-noise ratio: 90dB Effective Distance:100-150m Transmitter: Transmit power: 10mmW Oscillation mode: PLL digital Frequency Synthesizer Modulation method: FM Image rejection: 50 dB	8			
14	Desktop	2			

	Processor: 6core 12 threads, 2.90GHz Base Frequency, 4.20GHz Overclocking frequency; Operating System: Windows 10; Graphics Card: Integrated Graphics with Shared Memory; Memory: 8GB DDr4 3200Mhz Memory 2 RAM Slots: Storage:500GB SSD; Keyboard: Standard wired USB Keyboard with 10 key Number Pad   Mouse: Wired USB Laser Mouse; Monitor: 22in Full HD IPS Display (VGA/HDMI)				
15	Printer with ADF (A3 Maximum Size); 32ppm max print speed (Black); 20ppm max print speed (Colored)	2			
16	RAM, 8GB DDR4 3200Mhz	6			
17	UPS, 1500 VA, 1000W	5			
18	Toner Cartridge, Black, for IM C2000	3			
19	Toner Cartridge, Magenta, for IM C2000	1			
20	Toner Cartridge, Yellow, for IM C2000	1			
21	Toner Cartridge, Cyan, for IM C2000	1			
22	Orbit Stand Fan; 18-inch blade 360° oscillating fan Thermal fuse protected motor 515x515x390mm	2			
23	Air conditioner, Split-Type, 2.5Hp, with installation; Wattage: 2.27kW (2.5HP); Smart Controller; Full DC Inverter; Energy Efficiency	1			

	Rating: 13; Cold Plasma Feature; with Multistage Filtration System				
24	Extension Cords (10m 3 sockets)	5			
25	Extension Cords (5m 3 sockets)	5			
26	Stand Fan; 18" diameter, Plastic Blade, Push button switch	12			
27	SSD External Drive 1TB	1			
28	Mouse, wireless Three buttons in one mouse, With a 1600 dpi optical sensor, Ambidextrous design, 2.4GHz Wireless via Nano USB, Mice button-3 (left click, right click, scroll click), Optical Sensor, OS requirements-Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11	6			
29	Rechargeable Speaker with Built-in Microphone; Portable Speaker with built-in rechargeable battery, Bluetooth Wireless Music Streaming, 2 USB inputs for Music Playback, 2 microphone inputs, Power Source: AC100-240v 50/60Hz, DC 12V, 4Ah Rechargeable Battery, Output power: 60W RMS, Input Terminal: Audio In (Audio Signal): 750V/47K ohms, MIC: 600+/-30ohms, Bluetooth Frequency Band: 2.400Ghz- 2480Ghz	2			
30	Vacuum Cleaner (wet and dry, 3 gallon), Lightweight and Strong, 1100 watts, 10ft, 3m power cord, Capacity: 3 gallons, Filter Type: Cartridge, Material: ABS Plastic, Standard	2			

	Accessories: Extension Ward, Floor Nozzle, Crevice Nozzle, and Gulper Nozzle				
31	Heavy Duty Laminating Machine, 13", 4 Rollers, A3 size Heavy Duty Laminating Machine (13", 4 Rollers, A3 size) Pre-heating time 4-5min, Max width: 330mm, Max Thickness 1mm, MQ320 – reverse/forward function and cold mounting, MQ320A – reverse/forward function with additional manual function (anti-brown out) and cold mounting	1			
32	Printer; Print, Scan, Copy, Fax with ADF; Printing Technology: Precisioncore™ Printhead; Nozzle Configuration: 400 x 1 nozzles Black, 128 x 1 nozzles per colour (Cyan, Magenta, Yellow); Print Direction: Bi-directional printing, Maximum Resolution: 4800 x 1200 dpi; Maximum Ink droplet Volume: 3.3 pl.	1			
33	10.2kg Twin Tub Washing Machine with Dryer LWT1020 (H x W x D=94.6cm x 79.3cm x 46.9cm)	1			
34	Extension Wire Universal 3-gang (Heavy Duty) 6 meters no.12 flat cord	2			
35	Desktop Computer; Processor: 10 <sup>th</sup> Generation (Comet Lake)   8 cores & 16 Threads   2.9 Ghz Clock Speed   4.8 Ghz Maximum Turbo Frequency   LGA 1200 Socket   Dual-Channel DDR4-2933 Memory   Intel Optane Memory Support Motherboard: Intel B560 (LGA 1200)   PCIe 4.0   two M.2	2			

	slots   8 power stages   Intel 1 Gb Ethernet   Display Port   Dual HDMI   rear USB 3.2 Gen Type-C   V-M.2 Key E slot for Wi-Fi   Aura Sync   Addressable RGB   MATX motherboard Memory: 16 GB DDR4 5000 MHz Storage: 500GB SSD Up to 560 MB/s sequential read and 530MB/s write Storage: 500 GB SSD Up to 560 MB/s sequential read and 530 MB/s write GPU: Radeon RX 6500 XT   PCI Express 4.0 OpenGL®4.6   Video Memory 4GB GDDR6)				
36	All in One MULTI-FUNCTIONAL BORDERLESS PHOTO L850 Printer, Print Method: On-demand ink jet (piezoelectric) Nozzle Configuration: 90 nozzles, each color (Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black) Print Direction: Bi-direction printing, Unidirectional printing, Maximum Resolution: 5760x1440 dpi (with Variable-sized Droplet Technology) Minimum Ink Droplet Volume: 1.5pl	3			
37	Airconditioner – 53GCVB013 1.5 Hp. X Poer Gold 2 Inverter Split Wall Type Aircon with Installation Technical Supply: 1PH – 230V – 60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) W EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13dB(A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293 mm Packaging (WxDxH): 862 x 280 x 350 mm	2			

	Net/Gross Weight: 9/10Kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12 m Max Pipe Length: 20 m					
38	Exhaust Fan Wall Mount 12 Inches Model: XFW300-12 Size: 12" Inches Rated Input Power: 50W Rated Voltage: 230V Frequency: 60 Hz Airflow: 18.0m/min Noise Level: 56 dB Case Size: 40.5cm x 14cm x 40.5cm Installation Dimension: 33.5cm x 33.5cm		27			
	TOTAL					

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_