## Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

## For Goods Offered from Within the Philippines

Name of Bidder		Project ID No. <u>RSU-2023-05-050</u>					Pageof		
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	QTY	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
	COASTER/MINI BUS – 29+1 SEATER (Manual)		1						
1	OVERALL DIMENSIONS:  Length x Width x Height (mm): 6990 x 2,080 x 2,635 or 7,110 x 2,035 x 2,630 Wheelbase (mm) - 3,935 or 4085 Tread Front / Rear (mm) - 1,690/1,490 or Manufacturer Standard Minimum Tire Turning Radius (m) - 6.4 or Manufacturer Standard Curb Weight (kg) - 3,530 to 4555Gross Vehicle Weight (kg) - 5,670 to 6765 Color: Pearl White or White or Creamy White  ENGINE & TRANSMISSION Model - N04C-VQ or D4GA14 Type - 4 Cylinder In-line, 16-Valve OHV or Turbo Charger Intercooler, 4 Stroke cycle, water cooled, direct injection diesel engine Displacement: (cc) 3,933 but not exceeding 6,500								

Maximum Output (PS/rpn	n) - 135/2,500 or 140/2,700
Maximum Torque (Nm/rp 38/1,600	m) - 390/1,400 or (kg-m/rpm) -
Transmission: 5 Speed Mreverse speed	lanual or 5 Forward and 1
Fuel System: Common -r system Fuel: Diesel Regulation - EURO 4	ail Type or Denso common rail
CHASSIS	
Sus	spension
Front	Rear
Double Wishbone	Leaf Spring, Rigid With Front and Fear Stabilizers
Multi (Laminated) Leaf S Stabilizer Bar	or Spring with Torsion Type
Shock Absorber: Hydraul or Manufacturer standard	ic double acting telescopic type
Steering System - Power spoke, ball-nut type, Tilt &	Assisted Recirculating Bell or 4  Recirculating Bell or 4  Recirculating column
Tires and Wheels – Front 205/75R17.5-10PR	& Rear: 215/ 70R17.5 or
FEATURES Airbags - Driver and Assis Fog Lamps - Front: Proje Rear - LH/RH Combination	ctor Type

Wheel Cover - With Rear Underview Mirror - With Door Type - Auto Swing Door Over Head Shelves - With Clock (Roof) - Digital Room Lamps - Fluorescent Room Lamps, Reading Lamps Curtain Rail - With Audio System – M850B (Radio + CDP with Mic, TV, AUX and USB Connectivity) + Speakers: Front (2ea), Mid (1ea), Rear (1ea) Airconditioning - Roof mounted A/C with Electric Ventilator (Dual A/C controls with LCD)				
Seating Capacity - 29+1 (Reclining Seats) Seat Material: Fabric Window Wipers: Full size With rear luggage compartment				
SAFETY Seatbelts Front: With Seatbelts Rear: 2.pt Waving Type with Fire Extinguisher Service Brake - Hydraulic with vacuum servo assistance dual circuit Parking Brake - Integral expanding type on propeller shaft at the rear of transmission				
Brake Control System - Anti Locking Brake System (ABS)  With Red plate for vehicle registration				
TOTAL	1			

Name:	
Legal Capacity:	
Signature:	

Duly authorized to sign the Bid for and behalf of:						