

Republic of the Philippines **ROMBLON STATE UNIVERSITY** Odiongan, Romblon

Procurement of ICT Equipment and Supplies for Romblon State University

Solicitation No: RSU-2023-07-068 Source of Fund: 101 & 164 Total ABC: PhP1,153,803.00 Total QTY: 494

Pre –Bid Conference	:	7 August 2023 (2:30 PM)
Submission of Bid Docs	:	On or Before 21 August 2023 (3:00 PM)
Opening of Bid Docs	:	21 August 2023 (3:00 PM)
Venue	:	BAC Office, Community Outreach Center, Romblon State University, Liwanag Odiongan, Romblon

PHILIPPINE BIDDING DOCUMENTS Procurement of GOODS Government of the Republic of the Philippines

> Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.

f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
Sectio	n II. Instructions to Bidders	10
1.	Scope of Bid	
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	11
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	13
13.	Bid and Payment Currencies	
14.	Bid Security	
15.	Sealing and Marking of Bids	
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	n III. Bid Data Sheet	17
Sectio	n IV. General Conditions of Contract	19
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	20
3.	Performance Security	20
4.	Inspection and Tests	
5.	Warranty	20
6.	Liability of the Supplier	
Sectio	n V. Special Conditions of Contract	22
Sectio	n VI. Schedule of Requirements	26
Sectio	n VII. Technical Specifications	34
Sectio	n VIII. Checklist of Technical and Financial Documents	41

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

- FCA "Free Carrier" shipping point.
- **FOB** "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

- **GPPB** Government Procurement Policy Board.
- **INCOTERMS** International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described,

detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.





INVITATION TO BID FOR PROCUREMENT OF ICT EQUIPMENT AND SUPPLIES FOR ROMBLON STATE UNIVERSITY (ABC: PHP1,153,803.00, QTY: 494)

- The Romblon State University, through Fund 164 (2023) intends to apply the sum of One Million, One Hundred Fifty-Three Thousand, Eight Hundred Three Pesos Only (PhP1,153,803.00) being the ABC to payments under the contract for RSU-2023-07-068. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Romblon State University now invites bids for the above Procurement Project. Delivery of the Goods is required by within twenty-five (25) calendar days from receipt of the Notice to Proceed. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from **Romblon State University** and inspect the Bidding Documents at the address given below during **Monday to Friday, 8:00 AM** to **5:00 PM**, **except holidays**.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **31 July 2023** until before the opening of bids from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Five Thousand Pesos Only** (**PhP5,000.00**). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
- The Romblon State University will hold a Pre-Bid Conference¹ on 07 August 2023,
 2:30 PM at BAC Office, Community Outreach Center, Romblon State University and/or through video conferencing or webcasting *via* Zoom Conference, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before 03:00 PM, *21 August 2023*. Late bids shall not be accepted.

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on **03:00 PM**, **21 August 2023** at the given address below *and*/or via **Zoom Conferencing**. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

The bidder/s must submit one (1) original hard copy, and three (3) true copies of the bidding documents.

- 10. The **Romblon State University** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. Pursuant to **Section 61 of RA 9184**, all bid prices shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB.
- 12. For further information, please refer to:

MS. VEE F. FRANCISCO Head, BAC Secretariat Romblon State University, Odiongan, Romblon 5505 Email Address: <u>bacrsu2016@gmail.com</u> Cellphone No.: 09398173816 Website: <u>www.rsu.edu.ph</u>

13. You may visit the following websites:

For downloading of Bidding Documents: <u>www.rsu.edu.ph</u> <u>https://notices.philgeps.gov.ph/</u>

31 July 2023

(SGD) ATTY. GLENN NIÑO M. SARTILLO BAC Chairperson

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Romblon State University**, wishes to receive Bids for the **Procurement of ICT Equipment and Supplies for Romblon State University** (ABC: PhP1,153,803.00, QTY: 494), with identification number RSU-2023-07-068.

The Procurement Project (referred to herein as "Project") is composed of four hundred ninety-four (494) items, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **Fiscal Year 2023** in the amount of **One Million**, **One Hundred Fifty-Three Thousand**, **Eight Hundred Three Pesos Only (PhP1,153,803.00)**
- 2.2. The source of funding is:
 - a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2.
- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address, **BAC Office, Community Outreach Center, Romblon State University,** and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **five (5) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **18 December 2023**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

 $^{^2}$ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2 Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. Involving the delivery of ICT Equipment.
	b. completed within five (5) years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP Romblon State University-Main Campus, Odiongan, Romblon or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <u>PhP23,076.06</u> [Indicate the amount equivalent to two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <u>PhP57,690.15</u> [Indicate the amount equivalent to five percent (5%) of ABC] if bid security is in Surety Bond.
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]
21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]

Bid Data Sheet

ſ

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project. In addition to tests in the **SCC**, **Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: The delivery terms applicable to this Contract are delivered to Romblon State University-Main Campus, Odiongan, Romblon. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination. Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is the Head of the SPMO. Incidental Services – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. Spare Parts -The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Special Conditions of Contract

 such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
2. in the event of termination of production of the spare parts:
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of three (3) years.
Spare parts or components shall be supplied as promptly as possible, but in any case, within one (1) month of placing the order.
Packaging –
Packaging – The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2	The inspections and tests that will be conducted are: a. Test Run. b. Test printing. c. Quality Checking.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Numbe r	Description	Quantity	Total	Delivered, Weeks/Mon ths
1	COMB RING PUNCH & BINDING MACHINE No. of Holes: 24-Holes Maximum Punching Capacity: 20 sheets Maximum Binding Thickness: 500 sheets Dimensions: 425 x 320 x 220 mm >A comb plastic punch and binding machine uses plastic ring binders. >All metal chassis and mechanism with 2- handles. >Applicable to all plastic rings up to 51mm. >With adjustable paper size guide and margin depth. >Manually punch to sheets of 20 lbs. bond paper at a time for a plastic comb binding. >Heavy Duty >With Adjustable Holes >Can bind Short, A4 and Long size	1	1	
2	Cell cards/ load, TM, 100 per card	11	11	
3	Cell cards/ load, Globe, 100 per card	11	11	
4	Cell cards/ load, Smart, 500 per card	12	12	
5	Genuine Ink Tank Refill (Cyan) HP GT52 (70ml)	2	2	
6	Genuine Ink Tank Refill (Magenta) HP GT52 (70ml)	2	2	
7	Genuine Ink Tank Refill (Yellow) HP GT52 (70ml)	2	2	
8	Genuine Ink Tank Refill (Black) HP GT52 (90ml)	2	2	
9	Genuine Ink Tank Refill (Cyan) EPSON 673 (70ml)	2	2	
10	Genuine Ink Tank Refill (Magenta) EPSON 673 (70ml	2	2	
11	Genuine Ink Tank Refill (Yellow) EPSON 673 (70ml)	2	2	
12	Genuine Ink Tank Refill (Black) EPSON 673 (90ml)	2	2	

13	Genuine Ink Tank Refill (Cyan) EPSON 001 (70ml)	2	2	
14	Genuine Ink Tank Refill (Magenta) EPSON 001 (70ml)	2	2	
15	Genuine Ink Tank Refill (Yellow) EPSON 001 (70ml)	2	2	
16	Genuine Ink Tank Refill (Black) EPSON 001 (90ml)	2	2	
17	Genuine Ink Tank Refill (Cyan) CANON 70 (70ml)	2	2	
18	Genuine Ink Tank Refill (Magenta) CANON 70 (70ml)	2	2	
19	Genuine Ink Tank Refill (Yellow) CANON 70 (70ml)	2	2	
20	Genuine Ink Tank Refill (Black) CANON 70 (90ml)	2	2	
21	Genuine Ink Tank Refill (Black) CANON GI-73 (90ml)	2	2	
22	Genuine Ink Tank Refill (Cyan) CANON GI-73 (70ml)	2	2	
23	Genuine Ink Tank Refill (Grey) CANON GI-73 (70ml)	2	2	
24	Genuine Ink Tank Refill (Magenta) CANON GI-73 (70ml)	2	2	
25	Genuine Ink Tank Refill (Red) CANON GI-73 (70ml)	2	2	
26	Genuine Ink Tank Refill (Yellow) CANON GI-73 (70ml)	2	2	
27	Sublimation Transfer Paper A4 Size 100 GSM	10	10	
28	ID Lanyard 1 inch Sublimation Print	50	50	
29	Photo Paper (Rough Satin/Woved), 260 GSM (A4)	30	30	
30	Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw	1	1	
31	Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw	1	1	
32	Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw	1	1	

33	Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	1	1	
34	Paper, Bond, 8.5" x 13", Legal Size, Ultra White, 70gsm	30	30	
35	Morocco folder with slide, size: SHORT, color: Blue	50	50	
36	Morocco folder with slide, size: SHORT, color: Green	50	50	
37	Morocco folder with slide, size: SHORT, color: Yellow	50	50	
38	Photo Paper, 235gsm, Size: A4 (20 sheets)	2	2	
39	Photo Paper RC Woven Satin, 260gsm, Size: A4 (20 sheets)	25	25	
40	Specialty Board Paper, Legal Size (10 Sheets)	20	20	
41	Certificate Holder, Size: A4, Color: Gray/Black	15	15	
42	Marker, Permanent, Refillable, Broad, Black (12pcs)	1	1	
43	Marker, Permanent, Refillable, Broad, Blue (12pcs)	1	1	
44	White Board Marker, Black (12Pcs)	2	2	
45	Tape, Transparent, 24mm (1") Width	5	5	
46	Index Tab, Adhesive Strips, Color Transparent (A1), 300 strips/pack	5	5	
47	Air Freshener Spray, 320 ml	3	3	
48	Multi Insect Killer, Water-Based Spray, 500ml	3	3	
49	Disinfectant Spray, 510g (681ml)	3	3	
50	Desktop Computer: Processor: 12 th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support; Motherboard: Intel B560 (LGA 1200) PCle 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type-C V- M.2 Key E slot for Wi-Fi Aura Sync	1	1	

	Addressable RGB mATX motherboard; Memory: 1 GB DDR4 5000 MHz; Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write; GPU: Radeon RX 500 XT PCI Express 4.0 OpenGL®4.6 Video Memory 4GB GDDR6; Casing: CORSAIR 5000D with 600 watts power supply and cooling fan, Keyboard and Mouse: MasterSet MS120; Display: at least 19" full HD Display with HDMI, DVI port; UPS			
51	Orbit Fan: 16" Plastic Blade, 4-Speed Remote Switch with Thermal Fuse Protection	6	6	
52	Flatbed Scanner: Scanner Type: Flatbed color document scanner; Optical Resolution: Flatbed: 1200 dpi; ADF: 600 dpi; Hardware Resolution: Flatbed: 1200x1200 dpi; ADF: 600 dpi; Color Bit Depth: 8-bit internal/ external; Optical Sensor: Contact Image Censor (CIS): Maximum Scan Area: Flatbed: 8.5" x 11.7"; ADF: 8.5" x 14"; Light Source: 3- color LED Technology; Scanning Speed: 25 ppm simplex, 10 ipm duplex (300 dpi, Black-and-white, Grayscale, color)	1	1	
53	Desktop Computer- Processor: 12th Gen. (Comet Lake); 8 cores & 16 threads; 2.9 GHz Clock Speed; 4.8 GHz Maximum Turbo Frequency; LGA 1200 socket; Dual-Channel; DDR4-2933 Memory; Intel Optane Memory Support; Mothernoard: Intel; B560 (LGA 1200); PCIe 4.0; Two M.2 slots: 8 power stages; Intel 1 Gb Ethernet; Display port;; Dual HDMI; rear USB 3.2 Gen 2 Type-C; V- M.2 Key E slot for Wi-Fi: Aura Sync; Addressable RGB; mATX motherboard; Memory: 16 GB DDR4 5000 MHz; Storage: 500gb SSD Up to 560 MB/s sequential read and 530 MB/s write; GPU: Radeon RX 6500 XT PCI Express 4.0; Open GL (R)4.6; Video Memory 4 GB GDDR6; Casing: CORSAIR iCUE 5000x RGB Tempered Glass Mid Tower ATX PC Smart Case with 600 watts power supply and cooling fan; Keyboard and Mouse: MasterSet MS120: Display:at least 27 in Smart Monitor with mobile connectivity; AVR: 500 watts	2	2	
54	Computer Printer: All in one Multi- Functional Borderless Photo Printer: Print Method On-Demand ink jet	1	1	

		-	-	
	(piezoelectric) Nozzle Configuration 90 nozzles, each colour (cyan, Light Cyan, Magenta, Yellow, Black) Print Direction Bi-directional printing, Uni-directional printing Maximum Resolution 5760 x 1440 dpi (with Variable-Sixed Droplet Technology) Minimum Ink Droplet Volume 1,5 pl)			
55	Desktop Computer: Processor: 10 th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support; Motherboard: Intel B560 (LGA 1200) PCle 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type-C V- M.2 Key E slot for Wi-Fi Aura Sync Addressable RGB mATX motherboard; Memory: 16 GB DDR4 5000 MHz Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write GPU: Radeon RX 6500 XT PCI Express 4.0 OpenGL®4.6 Video Memory 4GB GDDR6 Casing: CORSAIR 5000D with 600 watts power supply and cooling fan Keyboard and Mouse: MasterSet MS120 Display: at least 19" full HD Display with HDMI, DVI port AVR: 500 watts	1	1	
56	F6 Plus 5.5 Inch Suppor 4K 3D DSLR Camera Field Monitor 1080P for DSLR	3	3	
57	Android Tablet with Smart Pen BODY Dimensions 254 x 165.2 x 6.5 mm (10.0 x 6.50 x 0.26 in) Weight 490g (1.08 lb) Build Glass front (Gorilla Glass 3), aluminum frame, aluminum back SIM No DISPLAY Type IPS LCD, 1B colors, 144Hz, HDR10, Dolby Vision, 550 nits Size 11.0 inches, 350.9 cm ² (~83.6% screen-to-body ratio) Resolution 1800 x 2880 pixels, 16:10 ratio (~309 ppi density) Protection Corning Gorilla Glass 3 PLATFORM OS Android 13, MIUI 14 Chipset Qualcomm SM8475 Snapdragon 8+ Gen 1 (4 nm)	1	1	

		1	r	
	CPU Octa-core (1x3.19 GHz Cortex-X2			
	& 3x2.75 GHz Cortex-A710 & 4x1.80			
	GHz Cortex-A510)			
	GPU Adreno 730			
	MEMORY			
	Card slot No			
	Internal 128GB 8GB RAM			
	UFS 3.1			
	MAIN CAMERA			
	Dual 50 MP, f/1.8, (wide), 1/2.76",			
	0.64µm,PDAF 2 MP, f/2.4, (depth)			
	Features Dual-LED flash, HDR,			
	panorama Video 4K@30/60fps,			
	1 1 1			
	1080p@30/60fps			
	SELFIE CAMERA			
	Single 20 MP, f/2.2, (wide), 1/3.4", 0.8µm			
	Video 1080p@30/60fps			
	SOUND			
	Loudspeaker Yes, with stereo speakers (4			
	speakers)			
	3.5mm jack No			
	24-bit/192kHz audio			
	COMMS			
	WLAN Wi-Fi 802.11 a/b/g/n/a/6e, dual-			
	band, Wi-Fi Direct			
	Bluetooth 5.3, A2DP, LE			
	Positioning Unspecified			
	NFC No			
	Radio No			
	USB USB Type-C 3.2, accessory			
	connector			
	FEATURES			
	Sensors Accelerometer, gyro, proximity			
	(accessories only)			
	BATTERY			
	Type Li-Po 8600 mAh, non-removable			
	Charging 67W wired, PD3.0, QC4, 100%			
	in 1 hour (advertised)			
	PEN			
	Length 152mm			
	Sampling Rate 240 Hz			
	Weight 12.2g			
	Pressure sensitivity 4096-level			
	Pen Tip TPE replaceable soft pen-tip			
	Generation 2 nd Gen			
58	Professional Camcorder with Top Handle	1	1	
	Audio Unit, 1/2.33" CMOS Sensor			
	Ultra HD 4K 24/30p Recording at 150			
	Mb/s 4:2:2 1080p Video up to 60p at 50			
	1 1 1			
	Mb/s Dual SDHC/SDXC Memory Card			
	Slots Live UHD 4K Output via HDMI 12x			
	Optical Zoom Lens Two-Position ND			
	Filter Nine User-Assignable Function			
	Buttons Two XLR Inputs for External			
	Microphones Independent Gain Control			
	1 TELEVILLE			

50		1	1	
59	Laser Digital Copier (COLOUR	1	1	
	MULTIFUNCTIONAL FOR A4			
	FORMAT) ECOSYS M5521sdw			
60	Deskton Computer	2	2	
00	Desktop Computer Processor: 12 th Generation (Comet Lake)	2	2	
	· · · · · · · · · · · · · · · · · · ·			
	8 Cores & 16 Threads 2.9 GHz Clock			
	Speed 4.8 GHz Maximum Turbo			
	Frequency LGA 1200 Socket Dual-			
	Channel DDR4- 2933 Memory Intel			
	Optane Memory Support;			
	Motherboard: Intel B560 (LGA 1200)			
	PCle 4.0 two M.2 slots 8 power stages			
	Intel 1 Gb Ethernet DisplayPort dual			
	HDMI rear USB 3.2 Gen 2 Type-C V-			
	M.2 Key E slot for Wi-Fi Aura Sync			
	Addressable RGB mATX motherboard;			
	Memory: 16 GB DDR4 5000 MHz			
	Storage: 500GB SSD Up to 560 MB/s			
	sequential read and 530 MB/s write			
	GPU: Radeon RX 6500 XT PCI Express			
	4.0 OpenGL®4.6 Video Memory 4GB			
	GDDR6			
	Casing: CORSAIR iCUE 5000X RGB			
	Tempered Glass Mid Tower ATX PC			
	Smart Case with 600 watts power supply			
	and cooling fan			
	Keyboard and Mouse: MasterSet MS120			
	Display: at least 19" full HD Display with			
	HDMI, DVI port			
	AVR: 500 watts			
61	Printer, All In One Multi-Functional	2	2	
01	Borderless Photo Printer	2	2	
	(piezoelectric) Nozzle Configuration 90			
	nozzles, each colour(Cyan, Light Cyan,			
	Magenta, Light Magenta, Yellow, Black)			
	Print Direction Bi-directional printing,			
	Uni-directional printing Maximum			
	Resolution 5760 x 1440 dpi (with			
	Variable-Sized Droplet Technology)			
	Minimum Ink Droplet Volume 1.5 pl	-	~	
62	4-Gang extension outlet, 10 Amps, 250	5	5	
	Volts			
	Standard size. No available specs			
63	Swing type Plug, 10 Amps, 250 Volts	5	5	
	Standard size. No available specs			
C 4		20	20	
64	Double Insulated Flat Cord Wire (16	20	20	
	Gauge)			
	Standard size. No available specs, White			

65	Portable Sound System, Bluetooth Connect Ready, USB Slot available, AUX In, Mic Included (wireless), with rollers Transducers: 2 x 154.6mm/ 5.25" woofer, 2 x 55mm/ 2.25" tweeter Output power: 160W RMS. Power input: 100-240V / 50/60 Hz. Frequency response: 45Hz-20KHz(-6dB)	1	1	
	Signal-to-noise ratio: >80dB. Battery type: Li-ion polymer 36 Wh. Battery Charge time: 3.5 hours.			
	Projection System: 3LCD LCD Panel: 0.55-inch Light Source: Lamp Resolution: XGA Color Light Output: 4,100 Lumens White Light output: 4,100 Lumens Native Aspect Ratio: 4:3 Contrast Ratio: 16,000:1 Lamp Type: 230 W UHE Keystone Correction: Vertical: -30 to +30 degrees Horizontal: -30 to +30 degrees; Zoom: 1- 1.6 (Optical) ; Screen Size (Standard Lens): 27" to 262"; Projection Distance (Standard Lens): 60" screen 1.93 – 3.14 m; Throw Ratio : 1.58 (Zoom: Wide); 2.56 (Zoom: Tele) Projection Lens F Number: 1.51 – 1.99; Projection Lens Focal Length: 18.2 mm – 29.2 mm; Focus Method: Manual; Offset: 19.4:1 CONNECTIVITY Input: Video 1 x RCA (Yellow); Input: Computer 2 x D-sub 15-Pin (RGB) 1 x USB 2.0 type B; Input: Digital 2 x HDMI; Input: Audio 2 x RCA (Red / White); 2 x Stereo mini; Control: I/O 1 x			
	RS232C; Network: I/O 1 RJ45 1 x USB 2.0 type A (for optional Wireless LAN); Output: Video 1 x D-sub 15 pin; Output: Audio 1 x Stereo mini; Built-in Speaker 16 W; Miracast – Split Screen; Auto Keystone Correction Vertical: -30 to +30 degrees Horizontal Slide Keystone Correction Yes; Colour Modes: Dynamic, Presentation, Cinema, sRGB, Blackboard;			
	Projector Warranty 3 Years			
67	External Hard Drive SSD 2 TB	2	2	

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

TECHNICAL SPECIFICATIONS Solicitation No. RSU-2023-07-068 ABC:PhP1,153,803.00 QTY: 495

Procurement of ICT Equipment and Supplies for Romblon State University

Item	Specification	Statement of
	•	Compliance
	COMB RING PUNCH & BINDING MACHINE	
	No. of Holes: 24-Holes	
	Maximum Punching Capacity: 20 sheets	
	Maximum Binding Thickness: 500 sheets	
	Dimensions: 425 x 320 x 220 mm	
	>A comb plastic punch and binding machine uses plastic ring	
1	binders.	
-	>All metal chassis and mechanism with 2-handles.	
	>Applicable to all plastic rings up to 51mm.	
	>With adjustable paper size guide and margin depth.	
	>Manually punch to sheets of 20 lbs. bond paper at a time for a	
	plastic comb binding.	
	>Heavy Duty	
	>With Adjustable Holes	
	>Can bind Short, A4 and Long size	
2	Cell cards/ load, TM, 100 per card	
4	centeards/ toad, TWI, 100 per card	
	Call cords/load Clabs 100 rer cord	
3	Cell cards/ load, Globe, 100 per card	
4	Cell cards/ load, Smart, 500 per card	
5	Genuine Ink Tank Refill (Cyan) HP GT52	
6	Genuine Ink Tank Refill (Magenta) HP GT52	
	(
7	Genuine Ink Tank Refill (Yellow) HP GT52	
'	Genuine link Tank Kerni (Tenow) III G132	
0	Convine Inly Tenly Defill (Diesly) JID CT52	
8	Genuine Ink Tank Refill (Black) HP GT52	
9	Genuine Ink Tank Refill (Cyan) EPSON 673	
10	Genuine Ink Tank Refill (Magenta) EPSON 673	
11	Genuine Ink Tank Refill (Yellow) EPSON 673	
12	Genuine Ink Tank Refill (Black) EPSON 673	
14	Somune link runk Kenn (Dlack) Li SON 075	
12	Convine Internal Defili (Cross) EDSON (001	
13	Genuine Ink Tank Refill (Cyan) EPSON 001	
14	Genuine Ink Tank Refill (Magenta) EPSON 001	
15	Genuine Ink Tank Refill (Yellow) EPSON 001	
16	Genuine Ink Tank Refill (Black) EPSON 001	
17	Genuine Ink Tank Refill (Cyan) CANON 70	
1/		

19Genuine Ink Tank Refill (Yellow) CANON 7020Genuine Ink Tank Refill (Black) CANON 7021Genuine Ink Tank Refill (Black) CANON GI-7322Genuine Ink Tank Refill (Cyan) CANON GI-7323Genuine Ink Tank Refill (Grey) CANON GI-7324Genuine Ink Tank Refill (Magenta) CANON GI-7325Genuine Ink Tank Refill (Red) CANON GI-7326Genuine Ink Tank Refill (Yellow) CANON GI-7327Sublimation Transfer Paper A4 Size 100 GSM28ID Lanyard 1 inch Sublimation Print29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw34Paper, Bond, 8.5" x 13", Legal Size, Ultra White, 70gsm	
21Genuine Ink Tank Refill (Black) CANON GI-7322Genuine Ink Tank Refill (Cyan) CANON GI-7323Genuine Ink Tank Refill (Grey) CANON GI-7324Genuine Ink Tank Refill (Magenta) CANON GI-7325Genuine Ink Tank Refill (Red) CANON GI-7326Genuine Ink Tank Refill (Yellow) CANON GI-7327Sublimation Transfer Paper A4 Size 100 GSM28ID Lanyard 1 inch Sublimation Print29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
22Genuine Ink Tank Refill (Cyan) CANON GI-7323Genuine Ink Tank Refill (Grey) CANON GI-7324Genuine Ink Tank Refill (Magenta) CANON GI-7325Genuine Ink Tank Refill (Red) CANON GI-7326Genuine Ink Tank Refill (Yellow) CANON GI-7327Sublimation Transfer Paper A4 Size 100 GSM28ID Lanyard 1 inch Sublimation Print29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
23Genuine Ink Tank Refill (Grey) CANON GI-7324Genuine Ink Tank Refill (Magenta) CANON GI-7325Genuine Ink Tank Refill (Red) CANON GI-7326Genuine Ink Tank Refill (Yellow) CANON GI-7327Sublimation Transfer Paper A4 Size 100 GSM28ID Lanyard 1 inch Sublimation Print29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
24Genuine Ink Tank Refill (Magenta) CANON GI-7325Genuine Ink Tank Refill (Red) CANON GI-7326Genuine Ink Tank Refill (Yellow) CANON GI-7327Sublimation Transfer Paper A4 Size 100 GSM28ID Lanyard 1 inch Sublimation Print29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
25Genuine Ink Tank Refill (Red) CANON GI-7326Genuine Ink Tank Refill (Yellow) CANON GI-7327Sublimation Transfer Paper A4 Size 100 GSM28ID Lanyard 1 inch Sublimation Print29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
26Genuine Ink Tank Refill (Yellow) CANON GI-7327Sublimation Transfer Paper A4 Size 100 GSM28ID Lanyard 1 inch Sublimation Print29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
27Sublimation Transfer Paper A4 Size 100 GSM28ID Lanyard 1 inch Sublimation Print29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
28ID Lanyard 1 inch Sublimation Print29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
29Photo Paper (Rough Satin/ Woved), 260 GSM (A4)30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
30Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
30M5521cdw31Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw32Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw33Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
31 M5521cdw 32 Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw 33 Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
32 M5521cdw 33 Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw	
33 M5521cdw	
34 Paper Bond 8 5" x 13" Legal Size Ultra White 70gsm	
1 upor, Dona, 0.5 × 15 , Legui Size, Onu Winte, 70g5in	
35 Morocco folder with slide, size: SHORT, color: Blue	
36 Morocco folder with slide, size: SHORT, color: Green	
37 Morocco folder with slide, size: SHORT, color: Yellow	
38Photo Paper, 235gsm, Size: A4 (20 sheets)	
39 Photo Paper RC Woven Satin, 260gsm, Size: A4 (20 sheets)	
40 Specialty Board Paper, Legal Size (10 Sheets)	
41 Certificate Holder, Size: A4, Color: Gray/Black	
42 Marker, Permanent, Refillable, Broad, Black (12pcs)	
43Marker, Permanent, Refillable, Broad, Blue (12pcs)	
44 White Board Marker, Black (12Pcs)	

45	Tape, Transparent, 24mm (1") Width	
46	Index Tab, Adhesive Strips, Color Transparent (A1), 300 strips/pack	
47	Air Freshener Spray, 320 ml	
48	Multi Insect Killer, Water-Based Spray, 500ml	
49	Disinfectant Spray, 510g (681ml)	
50	Desktop Computer: Processor: 12 th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support; Motherboard: Intel B560 (LGA 1200) PCle 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type-C V-M.2 Key E slot for Wi-Fi Aura Sync Addressable RGB mATX motherboard; Memory: 1 GB DDR4 5000 MHz; Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write; GPU: Radeon RX 500 XT PCI Express 4.0 OpenGL®4.6 Video Memory 4GB GDDR6; Casing: CORSAIR 5000D with 600 watts power supply and cooling fan, Keyboard and Mouse: MasterSet MS120; Display: at least 19" full HD Display with HDMI, DVI port; UPS	
51	Orbit Fan: 16" Plastic Blade, 4-Speed Remote Switch with Thermal Fuse Protection	
52	Flatbed Scanner: Scanner Type: Flatbed color document scanner; Optical Resolution: Flatbed: 1200 dpi; ADF: 600 dpi; Hardware Resolution: Flatbed: 1200x1200 dpi; ADF: 600 dpi; Color Bit Depth: 8-bit internal/ external; Optical Sensor: Contact Image Censor (CIS): Maximum Scan Area: Flatbed: 8.5" x 11.7"; ADF: 8.5" x 14"; Light Source: 3-color LED Technology; Scanning Speed: 25 ppm simplex, 10 ipm duplex (300 dpi, Black-and- white, Grayscale, color)	
53	Desktop Computer- Processor: 12th Gen. (Comet Lake); 8 cores & 16 threads; 2.9 GHz Clock Speed; 4.8 GHz Maximum Turbo Frequency; LGA 1200 socket; Dual-Channel; DDR4-2933 Memory; Intel Optane Memory Support; Mothernoard: Intel; B560 (LGA 1200); PCIe 4.0; Two M.2 slots: 8 power stages; Intel 1 Gb Ethernet; Display port;; Dual HDMI; rear USB 3.2 Gen 2 Type-C; V-M.2 Key E slot for Wi-Fi: Aura Sync; Addressable RGB; mATX motherboard; Memory: 16 GB DDR4 5000 MHz; Storage: 500gb SSD Up to 560 MB/s sequential read and 530 MB/s write; GPU: Radeon RX 6500 XT PCI Express 4.0; Open GL (R)4.6; Video Memory 4 GB GDDR6; Casing: CORSAIR iCUE 5000x RGB Tempered Glass Mid Tower ATX PC Smart Case with 600 watts power supply and cooling fan; Keyboard and Mouse: MasterSet MS120: Display: at least 27 in Smart Monitor with mobile connectivity; AVR: 500 watts	
54	Computer Printer: All in one Multi-Functional Borderless Photo Printer: Print Method On-Demand ink jet (piezoelectric) Nozzle Configuration 90 nozzles, each colour (cyan, Light Cyan, Magenta, Yellow, Black) Print Direction Bi-directional printing,	

	Uni-directional printing Maximum Resolution 5760 x 1440 dpi (with Variable-Sixed Droplet Technology) Minimum Ink Droplet	
	Volume 1,5 pl)	
55	Desktop Computer: Processor: 10 th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support; Motherboard: Intel B560 (LGA 1200) PCle 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type- C V-M.2 Key E slot for Wi-Fi Aura Sync Addressable RGB mATX motherboard; Memory: 16 GB DDR4 5000 MHz Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write GPU: Radeon RX 6500 XT PCI Express 4.0 OpenGL®4.6 Video Memory 4GB GDDR6 Casing: CORSAIR 5000D with 600 watts power supply and cooling fan Keyboard and Mouse: MasterSet MS120 Display: at least 19" full HD Display with HDMI, DVI port AVR: 500 watts	
56	F6 Plus 5.5 Inch Suppor 4k 3d DSLR Camera Field Monitor 1080P for DSLR	
57	Android Tablet with Smart Pen BODY Dimensions 254 x 165.2 x 6.5 mm (10.0 x 6.50 x 0.26 in) Weight 490g (1.08 lb) Build Glass front (Gorilla Glass 3), aluminum frame, aluminum back SIM No DISPLAY Type IPS LCD, 1B colors, 144Hz, HDR10, Dolby Vision, 550 nits Size 11.0 inches, 350.9 cm ² (~83.6% screen-to-body ratio) Resolution 1800 x 2880 pixels, 16:10 ratio (~309 ppi density) Protection Corning Gorilla Glass 3 PLATFORM OS Android 13, MIUI 14 Chipset Qualcomm SM8475 Snapdragon 8+ Gen 1 (4 nm) CPU Octa-core (1x3.19 GHz Cortex-X2 & 3x2.75 GHz Cortex- A710 & 4x1.80 GHz Cortex-A510) GPU Adreno 730 MEMORY Card slot No Internal 128GB 8GB RAM UFS 3.1 MAIN CAMERA Dual 50 MP, f/1.8, (wide), 1/2.76", 0.64µm, PDAF 2 MP, f/2.4, (depth) Features Dual-LED flash, HDR, panorama Video 4K@30/60fps, 1080p@30/60fps SELFIE CAMERA Single 20 MP, f/2.2, (wide), 1/3.4", 0.8µm Video 1080p@30/60fps	

	2 Emminals No	
	3.5mm jack No 24-bit/192kHz audio	
	COMMS	
	WLAN Wi-Fi 802.11 a/b/g/n/a/6e, dual-band, Wi-Fi Direct	
	Bluetooth 5.3, A2DP, LE	
	Positioning Unspecified	
	NFC No Radio No	
	USB USB Type-C 3.2, accessory connector	
	FEATURES	
	Sensors Accelerometer, gyro, proximity (accessories only)	
	BATTERY	
	Type Li-Po 8600 mAh, non-removable	
	Charging 67W wired, PD3.0, QC4, 100% in 1 hour (advertised)	
	PEN	
	Length 152mm	
	Sampling Rate 240 Hz Weight 12.2g	
	Weight 12.2g Pressure sensitivity 4096-level	
	Pen Tip TPE replaceable soft pen-tip	
	Generation 2 nd Gen	
	Professional Camcorder with Top Handle Audio Unit, 1/2.33"	
	CMOS Sensor	
	Ultra HD 4K 24/30p Recording at 150 Mb/s 4:2:2 1080p Video	
58	up to 60p at 50 Mb/s Dual SDHC/SDXC Memory Card Slots	
	Live UHD 4K Output via HDMI 12x Optical Zoom Lens Two- Position ND Filter Nine User-Assignable Function Buttons Two	
	XLR Inputs for External Microphones Independent Gain Control	
	All the moust of External therephones independent out control	
59	Laser Digital Copier (COLOUR MULTIFUNCTIONAL FOR A4	
	FORMAT) ECOSYS M5521sdw	
	Desktop Computer	
	Processor: 12 th Generation (Comet Lake) 8 Cores & 16 Threads	
	2.9 GHz Clock Speed 4.8 GHz Maximum Turbo Frequency	
	LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel	
	Optane Memory Support; Motherheard, Intel P560 (LCA 1200) PCle 4.0 two M.2 elete	
	Motherboard: Intel B560 (LGA 1200) PCle 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI	
	rear USB 3.2 Gen 2 Type-C V-M.2 Key E slot for Wi-Fi Aura	
	Sync Addressable RGB mATX motherboard;	
60	Memory: 16 GB DDR4 5000 MHz Storage: 500GB SSD Up to	
	560 MB/s sequential read and 530 MB/s write	
	GPU: Radeon RX 6500 XT PCI Express 4.0 OpenGL®4.6	
	Video Memory 4GB GDDR6	
	Casing: CORSAIR iCUE 5000X RGB Tempered Glass Mid Tower ATX PC Smart Case with 600 watts power supply and	
	cooling fan	
	Keyboard and Mouse: MasterSet MS120	
	Display: at least 19" full HD Display with HDMI, DVI port	
	AVR: 500 watts	
	Printer,	
	All In One Multi-Functional Borderless Photo Printer	
61	Print Method On-demand ink jet (piezoelectric) Nozzle	
	Configuration 90 nozzles, each colour(Cyan, Light Cyan, Maganta Light Maganta Vallow, Plack) Print Direction Pi	
	Magenta, Light Magenta, Yellow, Black) Print Direction Bi- directional printing, Uni-directional printing Maximum Resolution	
	unectional printing, Om-unectional printing Maximum Resolution	

	5760 x 1440 dpi (with Variable-Sized Droplet Technology)	
	Minimum Ink Droplet Volume 1.5 pl	
()		
62	4-Gang extension outlet, 10 Amps, 250 Volts	
	Standard size. No available specs	
63	Swing type Plug, 10 Amps, 250 Volts	
	Standard size. No available specs	
64	Double Insulated Flat Cord Wire (16 Gauge)	
	Standard size. No available specs, White	
	Portable Sound System, Bluetooth Connect Ready, USB Slot	
	available, AUX In, Mic Included (wireless), with rollers	
	Transducers: 2 x 154.6mm/ 5.25" woofer, 2 x 55mm/ 2.25"	
	tweeter	
65	Output power: 160W RMS.	
	Power input: 100-240V / 50/60 Hz.	
	Frequency response: 45Hz-20KHz(-6dB)	
	Signal-to-noise ratio: >80dB.	
	Battery type: Li-ion polymer 36 Wh.	
	Battery Charge time: 3.5 hours.	
	Projector	
	Projection System: 3LCD	
	LCD Panel: 0.55-inch	
	Light Source: Lamp	
	Resolution: XGA	
	Color Light Output: 4,100 Lumens	
	White Light output: 4,100 Lumens	
	Native Aspect Ratio: 4:3	
	Contrast Ratio: 16,000:1	
	Lamp Type: 230 W UHE	
	Keystone Correction: Vertical: -30 to +30 degrees	
	Horizontal: -30 to +30 degrees; Zoom: 1-1.6 (Optical) ; Screen	
	Size (Standard Lens): 27" to 262"; Projection Distance (Standard	
	Lens): 60" screen 1.93 – 3.14 m; Throw Ratio : 1.58 (Zoom:	
66	Wide); 2.56 (Zoom: Tele)	
	Projection Lens F Number: 1.51 – 1.99; Projection Lens Focal	
	Length: 18.2 mm – 29.2 mm; Focus Method: Manual; Offset:	
	19.4:1 CONNECTIVITY	
	Input: Video 1 x RCA (Yellow); Input: Computer 2 x D-sub 15- Pin (RGB)	
	1 x USB 2.0 type B; Input: Digital 2 x HDMI; Input: Audio 2 x	
	RCA (Red / White); 2 x Stereo mini; Control: I/O 1 x RS232C;	
	Network: I/O 1 RJ45	
	1 x USB 2.0 type A (for optional Wireless LAN); Output: Video	
	1 x D-sub 15 pin; Output: Audio 1 x Stereo mini; Built-in Speaker	
	16 W; Miracast – Split Screen; Auto Keystone Correction Vertical:	
	-30 to +30 degrees	
	Horizontal Slide Keystone Correction Yes; Colour Modes:	
	Dynamic, Presentation, Cinema, sRGB, Blackboard; Projector	
	Warranty 3 Years	
67	External Hard Drive SSD 2 TB	
57		

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- □ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
- □ (b) DTI Business Registration or SEC Registration;
- \Box (c) Business Permit;
- \square (d) Tax Clearance;
 - (e) Articles of Partnership or Incorporation (*if applicable*).

Technical Documents

- □ (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (with supporting documents such as notice of award and purchase order); and
- □ (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (with supporting documents such as notice of award and purchase order); and
- □ (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> Original copy of Notarized Bid Securing Declaration; <u>and</u>
- \Box (i) Authority of signatory; and
- □ (j) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (k) Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

□ (1) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) <u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

 \square (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- \Box (n) Original of duly signed and accomplished Financial Bid Form; <u>and</u>
- \Box (o) Original of duly signed and accomplished Price Schedule(s).

Additional Requirement: Letter of Intent

Other documents are downloadable at https://www.gppb.gov.ph/downloadables.php