

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____

Project ID No. RSU-2023-07-068

Page ___ of ___

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	QTY	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
1	COMB RING PUNCH & BINDING MACHINE No. of Holes: 24-Holes Maximum Punching Capacity: 20 sheets Maximum Binding Thickness: 500 sheets Dimensions: 425 x 320 x 220 mm >A comb plastic punch and binding machine uses plastic ring binders. >All metal chassis and mechanism with 2-handles.		1						

	>Applicable to all plastic rings up to 51mm. >With adjustable paper size guide and margin depth. >Manually punch to sheets of 20 lbs. bond paper at a time for a plastic comb binding. >Heavy Duty >With Adjustable Holes >Can bind Short, A4 and Long size								
2	Cell cards/ load, TM, 100 per card		11						
3	Cell cards/ load, Globe, 100 per card		11						
4	Cell cards/ load, Smart, 500 per card		12						
5	Genuine Ink Tank Refill (Cyan) HP GT52 (70ml)		2						
6	Genuine Ink Tank Refill (Magenta) HP GT52 (70ml)		2						
7	Genuine Ink Tank Refill (Yellow) HP GT52 (70ml)		2						

8	Genuine Ink Tank Refill (Black) HP GT52 (90ml)		2						
9	Genuine Ink Tank Refill (Cyan) EPSON 673 (70ml)		2						
10	Genuine Ink Tank Refill (Magenta) EPSON 673 (70ml)		2						
11	Genuine Ink Tank Refill (Yellow) EPSON 673 (70ml)		2						
12	Genuine Ink Tank Refill (Black) EPSON 673 (90ml)		2						
13	Genuine Ink Tank Refill (Cyan) EPSON 001 (70ml)		2						
14	Genuine Ink Tank Refill (Magenta) EPSON 001 (70ml)		2						
15	Genuine Ink Tank Refill (Yellow) EPSON 001 (70ml)		2						
16	Genuine Ink Tank Refill (Black) EPSON 001 (90ml)		2						
17	Genuine Ink Tank Refill (Cyan) CANON 70 (70ml)		2						

18	Genuine Ink Tank Refill (Magenta) CANON 70 (70ml)		2						
19	Genuine Ink Tank Refill (Yellow) CANON 70 (70ml)		2						
20	Genuine Ink Tank Refill (Black) CANON 70 (90ml)		2						
21	Genuine Ink Tank Refill (Black) CANON GI-73 (90ml)		2						
22	Genuine Ink Tank Refill (Cyan) CANON GI-73 (70ml)		2						
23	Genuine Ink Tank Refill (Grey) CANON GI-73 (70ml)		2						
24	Genuine Ink Tank Refill (Magenta) CANON GI-73 (70ml)		2						
25	Genuine Ink Tank Refill (Red) CANON GI-73 (70ml)		2						
26	Genuine Ink Tank Refill (Yellow) CANON GI-73 (70ml)		2						
27	Sublimation Transfer Paper A4 Size 100 GSM		10						

28	ID Lanyard 1 inch Sublimation Print		50						
29	Photo Paper (Rough Satin/Woved), 260 GSM (A4)		30						
30	Toner Kit (TK-5234) BLACK for KYOCERA ECOSYS M5521cdw		1						
31	Toner Kit (TK-5234) CYAN for KYOCERA ECOSYS M5521cdw		1						
32	Toner Kit (TK-5234) MAGENTA for KYOCERA ECOSYS M5521cdw		1						
33	Toner Kit (TK-5234) YELLOW for KYOCERA ECOSYS M5521cdw		1						
34	Paper, Bond, 8.5" x 13", Legal Size, Ultra White, 70gsm		30						
35	Morocco folder with slide, size: SHORT, color: Blue		50						
36	Morocco folder with slide, size: SHORT, color: Green		50						
37	Morocco folder with slide, size: SHORT, color: Yellow		50						

38	Photo Paper, 235gsm, Size: A4 (20 sheets)		2						
39	Photo Paper RC Woven Satin, 260gsm, Size: A4 (20 sheets)		25						
40	Specialty Board Paper, Legal Size (10 Sheets)		20						
41	Certificate Holder, Size: A4, Color: Gray/Black		15						
42	Marker, Permanent, Refillable, Broad, Black (12pcs)		1						
43	Marker, Permanent, Refillable, Broad, Blue (12pcs)		1						
44	White Board Marker, Black (12Pcs)		2						
45	Tape, Transparent, 24mm (1") Width		5						
46	Index Tab, Adhesive Strips, Color Transparent (A1), 300 strips/pack		5						
47	Air Freshener Spray, 320 ml		3						

48	Multi Insect Killer, Water-Based Spray, 500ml		3						
49	Disinfectant Spray, 510g (681ml)		3						
50	Desktop Computer: Processor: 12 th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support; Motherboard: Intel B560 (LGA 1200) PCIe 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type-C V-M.2 Key E slot for Wi-Fi Aura Sync Addressable RGB mATX motherboard; Memory: 1 GB DDR4 5000 MHz; Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write; GPU: Radeon RX 500 XT PCI Express 4.0		1						

	OpenGL®4.6 Video Memory 4GB GDDR6; Casing: CORSAIR 5000D with 600 watts power supply and cooling fan, Keyboard and Mouse: MasterSet MS120; Display: at least 19" full HD Display with HDMI, DVI port; UPS								
51	Orbit Fan: 16" Plastic Blade, 4-Speed Remote Switch with Thermal Fuse Protection		6						
52	Flatbed Scanner: Scanner Type: Flatbed color document scanner; Optical Resolution: Flatbed: 1200 dpi; ADF: 600 dpi; Hardware Resolution: Flatbed: 1200x1200 dpi; ADF: 600 dpi; Color Bit Depth: 8-bit internal/ external; Optical Sensor: Contact Image Censor (CIS): Maximum Scan Area: Flatbed: 8.5" x 11.7"; ADF: 8.5" x 14"; Light Source: 3-color LED Technology; Scanning Speed: 25 ppm simplex,		1						

	10 ipm duplex (300 dpi, Black-and-white, Grayscale, color)								
53	<p>Desktop Computer- Processor: 12th Gen. (Comet Lake); 8 cores & 16 threads; 2.9 GHz Clock Speed; 4.8 GHz Maximum Turbo Frequency; LGA 1200 socket; Dual-Channel; DDR4-2933 Memory; Intel Optane Memory Support; Motherboard: Intel; B560 (LGA 1200); PCIe 4.0; Two M.2 slots: 8 power stages; Intel 1 Gb Ethernet; Display port;; Dual HDMI; rear USB 3.2 Gen 2 Type-C; V-M.2 Key E slot for Wi-Fi: Aura Sync; Addressable RGB; mATX motherboard; Memory: 16 GB DDR4 5000 MHz; Storage: 500gb SSD Up to 560 MB/s sequential read and 530 MB/s write; GPU: Radeon RX 6500 XT PCI Express 4.0; Open GL (R)4.6; Video Memory 4 GB GDDR6; Casing: CORSAIR iCUE 5000x</p>		2						

	<p>RGB Tempered Glass Mid Tower ATX PC Smart Case with 600 watts power supply and cooling fan; Keyboard and Mouse: MasterSet MS120; Display: at least 27 in Smart Monitor with mobile connectivity; AVR: 500 watts</p>								
54	<p>Computer Printer: All in one Multi-Functional Borderless Photo Printer: Print Method On-Demand ink jet (piezoelectric) Nozzle Configuration 90 nozzles, each colour (cyan, Light Cyan, Magenta, Yellow, Black) Print Direction Bi-directional printing, Uni-directional printing Maximum Resolution 5760 x 1440 dpi (with Variable-Sixed Droplet Technology) Minimum Ink Droplet Volume 1,5 pl)</p>		1						
55	<p>Desktop Computer: Processor: 10th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz</p>		1						

<p>Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support; Motherboard: Intel B560 (LGA 1200) PCIe 4.0 two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type-C V-M.2 Key E slot for Wi-Fi Aura Sync Addressable RGB mATX motherboard; Memory: 16 GB DDR4 5000 MHz Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write GPU: Radeon RX 6500 XT PCI Express 4.0 OpenGL®4.6 Video Memory 4GB GDDR6 Casing: CORSAIR 5000D with 600 watts power supply and cooling fan Keyboard and Mouse: MasterSet MS120</p>								
---	--	--	--	--	--	--	--	--

	Display: at least 19" full HD Display with HDMI, DVI port AVR: 500 watts								
56	F6 Plus 5.5 Inch Suppor 4K 3D DSLR Camera Field Monitor 1080P for DSLR		3						
57	Android Tablet with Smart Pen BODY Dimensions 254 x 165.2 x 6.5 mm (10.0 x 6.50 x 0.26 in) Weight 490g (1.08 lb) Build Glass front (Gorilla Glass 3), aluminum frame, aluminum back SIM No DISPLAY Type IPS LCD, 1B colors, 144Hz, HDR10, Dolby Vision, 550 nits Size 11.0 inches, 350.9 cm ² (~83.6% screen-to-body ratio) Resolution 1800 x 2880 pixels, 16:10 ratio (~309 ppi density) Protection Corning Gorilla Glass 3 PLATFORM OS Android 13, MIUI 14		1						

<p>Chipset Qualcomm SM8475 Snapdragon 8+ Gen 1 (4 nm) CPU Octa-core (1x3.19 GHz Cortex-X2 & 3x2.75 GHz Cortex-A710 & 4x1.80 GHz Cortex-A510) GPU Adreno 730 MEMORY Card slot No Internal 128GB 8GB RAM UFS 3.1 MAIN CAMERA Dual 50 MP, f/1.8, (wide), 1/2.76", 0.64µm, PDAF 2 MP, f/2.4, (depth) Features Dual-LED flash, HDR, panorama Video 4K@30/60fps, 1080p@30/60fps SELFIE CAMERA Single 20 MP, f/2.2, (wide), 1/3.4", 0.8µm Video 1080p@30/60fps SOUND Loudspeaker Yes, with stereo speakers (4 speakers) 3.5mm jack No 24-bit/192kHz audio COMMS</p>								
--	--	--	--	--	--	--	--	--

	<p>WLAN Wi-Fi 802.11 a/b/g/n/a/6e, dual-band, Wi-Fi Direct</p> <p>Bluetooth 5.3, A2DP, LE</p> <p>Positioning Unspecified</p> <p>NFC No</p> <p>Radio No</p> <p>USB USB Type-C 3.2, accessory connector</p> <p>FEATURES</p> <p>Sensors Accelerometer, gyro, proximity (accessories only)</p> <p>BATTERY</p> <p>Type Li-Po 8600 mAh, non-removable</p> <p>Charging 67W wired, PD3.0, QC4, 100% in 1 hour (advertised)</p> <p>PEN</p> <p>Length 152mm</p> <p>Sampling Rate 240 Hz</p> <p>Weight 12.2g</p> <p>Pressure sensitivity 4096-level</p> <p>Pen Tip TPE replaceable soft pen-tip</p> <p>Generation 2nd Gen</p>								
58	Professional Camcorder with Top Handle Audio Unit, 1/2.33" CMOS Sensor		1						

	Ultra HD 4K 24/30p Recording at 150 Mb/s 4:2:2 1080p Video up to 60p at 50 Mb/s Dual SDHC/SDXC Memory Card Slots Live UHD 4K Output via HDMI 12x Optical Zoom Lens Two-Position ND Filter Nine User-Assignable Function Buttons Two XLR Inputs for External Microphones Independent Gain Control								
59	Laser Digital Copier (COLOUR MULTIFUNCTIONAL FOR A4 FORMAT) ECOSYS M5521sdw		1						
60	Desktop Computer Processor: 12 th Generation (Comet Lake) 8 Cores & 16 Threads 2.9 GHz Clock Speed 4.8 GHz Maximum Turbo Frequency LGA 1200 Socket Dual-Channel DDR4- 2933 Memory Intel Optane Memory Support; Motherboard: Intel B560 (LGA 1200) PCIe 4.0		2						

	<p>two M.2 slots 8 power stages Intel 1 Gb Ethernet DisplayPort dual HDMI rear USB 3.2 Gen 2 Type-C V-M.2 Key E slot for Wi-Fi Aura Sync Addressable RGB mATX motherboard; Memory: 16 GB DDR4 5000 MHz Storage: 500GB SSD Up to 560 MB/s sequential read and 530 MB/s write GPU: Radeon RX 6500 XT PCI Express 4.0 OpenGL®4.6 Video Memory 4GB GDDR6 Casing: CORSAIR iCUE 5000X RGB Tempered Glass Mid Tower ATX PC Smart Case with 600 watts power supply and cooling fan Keyboard and Mouse: MasterSet MS120 Display: at least 19" full HD Display with HDMI, DVI port AVR: 500 watts</p>								
61	Printer, All In One Multi-Functional Borderless		2						

	Photo Printer: Print Method On-Demand ink jet (piezoelectric) Nozzle Configuration 90 nozzles, each colour(Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black) Print Direction Bi-directional printing, Uni-directional printing Maximum Resolution 5760 x 1440 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Volume 1.5 pl								
62	4-Gang extension outlet, 10 Amps, 250 Volts Standard size. No available specs		5						
63	Swing type Plug, 10 Amps, 250 Volts Standard size. No available specs		5						
64	Double Insulated Flat Cord Wire (16 Gauge) Standard size. No available specs, White		20						
65	Portable Sound System, Bluetooth Connect Ready, USB Slot available, AUX		1						

	<p>In, Mic Included (wireless), with rollers Transducers: 2 x 154.6mm/ 5.25" woofer, 2 x 55mm/ 2.25" tweeter Output power: 160W RMS. Power input: 100-240V / 50/60 Hz. Frequency response: 45Hz-20KHz(-6dB) Signal-to-noise ratio: >80dB. Battery type: Li-ion polymer 36 Wh. Battery Charge time: 3.5 hours.</p>								
66	<p>Projector Projection System: 3LCD LCD Panel: 0.55-inch Light Source: Lamp Resolution: XGA Color Light Output: 4,100 Lumens White Light output: 4,100 Lumens Native Aspect Ratio: 4:3 Contrast Ratio: 16,000:1 Lamp Type: 230 W UHE Keystone Correction: Vertical: -30 to +30 degrees</p>		1						

<p>Horizontal: -30 to +30 degrees; Zoom: 1-1.6 (Optical) ; Screen Size (Standard Lens): 27" to 262"; Projection Distance (Standard Lens): 60" screen 1.93 – 3.14 m; Throw Ratio : 1.58 (Zoom: Wide); 2.56 (Zoom: Tele)</p> <p>Projection Lens F Number: 1.51 – 1.99; Projection Lens Focal Length: 18.2 mm – 29.2 mm; Focus Method: Manual; Offset: 19.4:1</p> <p>CONNECTIVITY</p> <p>Input: Video 1 x RCA (Yellow); Input: Computer 2 x D-sub 15-Pin (RGB) 1 x USB 2.0 type B; Input: Digital 2 x HDMI; Input: Audio 2 x RCA (Red / White); 2 x Stereo mini; Control: I/O 1 x RS232C; Network: I/O 1 RJ45 1 x USB 2.0 type A (for optional Wireless LAN); Output: Video 1 x D-sub 15 pin; Output: Audio 1 x Stereo mini; Built-in Speaker 16 W; Miracast – Split Screen; Auto</p>								
---	--	--	--	--	--	--	--	--

	Keystone Correction Vertical: -30 to +30 degrees Horizontal Slide Keystone Correction Yes; Colour Modes: Dynamic, Presentation, Cinema, sRGB, Blackboard; Projector Warranty 3 Years								
67	External Hard Drive SSD 2 TB		2						
TOTAL			494						

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____