## Republic of the Philippines ROMBLON STATE UNIVERSITY Odiongan, Romblon

# INVITATION FOR NEGOTIATED PROCUREMENT

for

Supply and Delivery of Criminalistics
Laboratory Supplies and Equipment for the
ICJE of Romblon State University

Solicitation No. RSU-2024-04-037 Source of Fund: 164 ABC: PhP364,100.00

Negotiated Procurement as provided for under Sec. 53.1 (Two Failed Biddings) of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184

### INVITATION FOR NEGOTIATED PROCUREMENT

The ROMBLON STATE UNIVERSITY, hereby invites all interested suppliers to submit their quotation for the Supply and Delivery of Criminalistics Laboratory Supplies and Equipment for the ICJE of Romblon State University with an Approved Budget for the Contract amounting to *Three Hundred Sixty-Four Thousand*, *One Hundred Pesos Only (PhP364,100.00)* subject to the General Conditions stated herein.

- 1. The procurement procedure for this project is Negotiated Procurement pursuant to Section 53.1 (Two Failed Biddings) of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 2. The Romblon State University now invites bids for the above Procurement Project. Delivery of the Goods is required by within twenty-five (25) calendar days from receipt of the Notice to Proceed. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project.
- 3. Prospective Bidders may obtain further information from Romblon State University and inspect the Bidding Documents at the address given below during Monday to Friday, 8:00 AM to 5:00 PM, except holidays.
- 4. A complete set of Bidding Documents may be acquired by interested Bidders on 08 July 2024 until before the opening of quotations from the given address and website(s) below.
- 5. The Romblon State University will hold a Negotiation Meeting on 11 July 2024, 1:00 PM at BAC Office, Community Outreach Center, Romblon State University and/or through video conferencing or webcasting via Zoom Conference, which shall be open to prospective bidders.
- 6. Submission: Manual (One (1) Original Hard Copy, and Three (3) True Copies), addressed to the Bids and Awards Committee Secretariat, BAC Office, Community Outreach Center, Romblon State University, Odiongan, Romblon.
- 7. The schedule of negotiation activities are, as follows:

Activities	Schedule	Venue		
Issuance and availability of Negotiation Documents	08 July to 15 July 2024	BAC Office, Community Outreach Center, Romblon State University, Odiongan, Romblon		
Conduct of Negotiation Meeting	11 July 2024, 1:00 PM	BAC Office, Community Outreach Center, Romblon State University, Odiongan, Romblon		
Deadline for the submission of Negotiation Documents (Proposal)	15 July 2024, 10:00 AM	BAC Office, Community Outreach Center, Romblon State University, Odiongan, Romblon		
Opening of Negotiation Documents (Proposal)	15 July 2024, 10:00 AM	BAC Office, Community Outreach Center, Romblon State University, Odiongan, Romblon		

- 8. The Romblon State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- **9.** For further information, please refer to:

#### MS. VEE F. FRANCISCO

Head, BAC Secretariat

Romblon State University, Odiongan, Romblon 5505

Email Address: bac@rsu.edu.ph Cellphone No.: 09398173816 Website: www.rsu.edu.ph

10. You may visit the following websites:

For downloading of Bidding Documents:

www.rsu.edu.ph

https://notices.philgeps.gov.ph/

08 July 2024

(SGD) ATTY. GLENN NIÑO M. SARTILLO BAC Chairperson

### **Special Conditions of Contract**

GCC	Special Conditions of Contract				
Clause 1	Delivery and Documents –				
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:				
	The delivery terms applicable to this Contract are delivered to Romblon State University-Main Campus, Odiongan, Romblon. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.				
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).				
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is the Head of the SPMO.				
	Incidental Services –				
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:				
	<ul> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ul>				
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.				
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.				
	Spare Parts –				
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:				
	1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and				

- 2. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of three (3) years.

Spare parts or components shall be supplied as promptly as possible, but in any case, within one (1) month of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

#### Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

#### Intellectual Property Rights -

2

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

The deliverables shall be subject to the inspection and acceptance of the Project Officer.

### Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Digital Fingerprint Scanner/reader/recorder, USB Connection, Pixel Resolution:512dpi (average x y over the field); Scan data: 8-bit grayscale; Supply Voltage: 5.0V ±5% supplied by USB; Compatible OS: Windows98, Me, NT4.0, 2000, 2003, 2008, XP, Vista, WIN7  (please see attached picture in Annex A)	3	3	
2	Digital Signature Pad with Stylus Pen  (please see attached picture in Annex A)	2	2	
3	Contact Printer- hold 6 strips of frames, 35mm format, with max. paper size of 8"x10"  (please see attached picture in Annex A)	1	1	
4	Triple Darkroom Timer- with 3 audible tones that can be operated individually or together, and with LCD readout  (please see attached picture in Annex A)	1	1	
5	Universal Compact Developing tank with spiral 2 reels, Plastic  (please see attached picture in Annex A)	1	1	
6	Tray for developing and fixing, assorted color (3 pieces) 8x10"  (please see attached picture in Annex A)	3	3	
7	22MP All-in-1 Film & Slide Scanner, Converts 35mm 135 110 126 and Super 8 Films/Slides, Negatives to Digital JPG Photos, Built-in 128MB Memory, 2.4 LCD Screen (please see attached picture in Annex A)	1	1	
8	Fixer for Film and paper, to make 1 gallon-Sodium thiosulfate	3	3	
9	B&W Developer for Film, to make 1 Gallon (HC-110 or D-76)	3	3	

10	B&W Developer for Paper, to make 1 Gallon (HC-110 or D-76)	3	3	
11	Stop Bath for Black and White, to make 10L	3	3	
12	Photo Paper Black and White, 8x10", 25 sheets/pack	3	3	
13	Magnifying Glass with handle- 90mm diameter	40	40	
14	Finger Camel Hair Latent Print Brush 7"L with clear plastic tube storage	10	10	
15	Fingerprint Ink Roller, 4 inches  (please see attached picture in Annex A)	4	4	
16	Ridge Counter Fixed Tip, nickel plated steel, hardened tip – 2 3/8" long  (please see attached picture in Annex A)	6	6	
17	Invisible Fluorescent Pen, any color, felt tip, heat-proof, non-toxic, waterproof, 5 inches long  (please see attached picture in Annex A)	2	2	
18	Plaster of Paris, white/offwhite/grayish finish	10	10	
19	Iodine Crystal, 50 grams/bottle	3	3	
20	Potassium Nitrate Powder	5	5	
21	Paraffin Wax	6	6	
22	Ninhydrin Chemical 2% reagent, 500 ml/bottle	6	6	
23	Ninhydrin Spray, 250ml	1	1	
24	Fingerprint Ink, 4 oz	4	4	
25	Fingerprint Powder black 2 oz	3	3	
26	Fingerprint Powder white 2 oz	3	3	
27	Fingerprint Powder red 2 oz	3	3	
28	Fingerprint Powder orange 2 oz	3	3	
29	Fingerprint Powder gray 2 oz	3	3	
30	Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8"	2	2	

	(please see attached picture in Annex A)			
31	Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews (please see attached picture in Annex A)	1	1	
32	Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor  (please see attached picture in Annex A)	1	1	
33	Heavy duty Digital Compass, for navigation or direction, high precision	2	2	
34	Ballistic Safety Glasses- clear lens, adjustable rubberized nose pads and temple bars	2	2	
35	Hearing Protector- collapsible headband, protective storage pocket or bag, rifle butt, foldable, black, noise reduction rating: 27 dB	2	2	
36	Pica, Elite, Typewriting and Space Test Plates, 10 x 8 x 1/16 (25.4cm x 20.3cm x 1.6mm); Weight 7.8 oz. (221g)	2	2	
37	Sublimation Roll Paper, Specs- 8.5 inches x 100 meters, 100 gsm  (please see attached picture in Annex A)	23	23	

#### TECHNICAL SPECIFICATIONS

Solicitation No. RSU-2024-04-037 ABC: PhP364,100.00

### Supply and Delivery of Criminalistics Laboratory Supplies and Equipment for the ICJE of Romblon State University

ITEM NO.	UNIT	ITEM DESCRIPTION	QTY	STATEMENT OF COMPLIANCE <sup>1</sup>
1	unit	Digital Fingerprint Scanner/reader/recorder, USB Connection, Pixel Resolution:512dpi (average x y over the field); Scan data: 8-bit grayscale; Supply Voltage: 5.0V ±5% supplied by USB; Compatible OS: Windows98, Me, NT4.0, 2000, 2003, 2008, XP, Vista, WIN7  (please see attached picture in Annex A)	3	
		Digital Signature Pad with Stylus Pen		
2	unit	Digital Signature Lad with Stylus Len	2	
	umi	(please see attached picture in Annex A)		
		Contact Printer- hold 6 strips of frames, 35mm		
3	unit	format, with max. paper size of 8"x10"	1	
		(please see attached picture in Annex A)		
4	unit	Triple Darkroom Timer- with 3 audible tones that can be operated individually or together, and with LCD readout  (please see attached picture in Annex A)	1	
5	set	Universal Compact Developing tank with spiral 2 reels, Plastic  (please see attached picture in Annex A)	1	
6	unit	Tray for developing and fixing, assorted color (3 pieces) 8x10"  (please see attached picture in Annex A)	3	
7	unit	22MP All-in-1 Film & Slide Scanner, Converts 35mm 135 110 126 and Super 8 Films/Slides, Negatives to Digital JPG Photos, Built-in 128MB Memory, 2.4 LCD Screen  (please see attached picture in Annex A)	1	

-

<sup>&</sup>lt;sup>1</sup> [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

8 unit Fixer for Film and paper, to make 1 gallon-Sodium thousulfate 9 unit 10 or D-76 10 unit B&W Developer for Paper, to make 1 Gallon (HC-110 or D-76) 11 unit Stop Bath for Black and White, to make 10L 12 pack Stop Bath for Black and White, to make 10L 13 piece Magnifying Glass with handle-90mm diameter 14 piece Finger Camel Hair Latent Print Brush 7"L with clear plastic tube storage 15 piece (please see attached picture in Annex A) 16 piece (please see attached picture in Annex A) 17 piece (please see attached picture in Annex A) 18 kilo Plaster of Paris, white/offwhite/grayish finish 19 bottle Iodine Crystal, 50 grams/bottle 20 kilo Potassium Nitrate Powder 21 kilo Paraffin Wax 22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle 23 piece Ninhydrin Chemical 2% reagent, 500 ml/bottle 24 tube Fingerprint Powder black 2 oz 25 jar Fingerprint Powder black 2 oz 26 jar Fingerprint Powder place 2 oz 27 jar Fingerprint Powder gray 2 oz 30 piece 1-15mm, 1/8"-5/8" 20 piece Ninhydrin Chemical 20 oz 31 rapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8" 30 piece 1-15mm, 1/8"-5/8" 31 unit 10 piece og digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor (please see attached picture in Annex A) 4					
10	8	unit		3	
10	9	unit	<u> </u>	3	
11 unit Stop Bath for Black and White, to make 10L 12 pack pack Paper Black and White, 8x10", 25 sheetes/pack 13 piece Magnifying Glass with handle-90mm diameter 40 14 piece Finger Camel Hair Latent Print Brush 7"L with clear plastic tube storage 15 piece Fingerprint Ink Roller, 4 inches Pinger Camel Hair Latent Print Brush 7"L with clear plastic tube storage 16 piece Fingerprint Ink Roller, 4 inches Pinger Camel Hair Latent Print Brush 7"L with clear plastic tube storage 17 piece Pinger Camel Hair Latent Print Brush 7"L with clear plastic tube storage 18 kide Counter Fixed Tip, nickel plated steel, hardened tip – 2 3/8" long 6 (please see attached picture in Annex A) 18 kile Plaster of Paris, white/offwhite/grayish finish 10 19 bottle Iodine Crystal, 50 grams/bottle 3 20 kile Paraffin Wax 6 21 kile Paraffin Wax 6 22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle 6 23 piece Ninhydrin Spray, 250ml 1 24 tube Fingerprint Ink, 4 oz 4 25 jar Fingerprint Powder black 2 oz 3 26 jar Fingerprint Powder white 2 oz 3 27 jar Fingerprint Powder red 2 oz 3 28 jar Fingerprint Powder gray 2 oz 3 3 Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8" 2 2 (please see attached picture in Annex A) 4 Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews (please see attached picture in Annex A) 4 Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor 1	10	unit	B&W Developer for Paper, to make 1 Gallon	3	
12 pack shects/pack  13 piece Magnifying Glass with handle- 90mm diameter  14 piece Finger Camel Hair Latent Print Brush 7"L with clear plastic tube storage  Fingerprint Ink Roller, 4 inches  (please see attached picture in Annex A)  Ridge Counter Fixed Tip, nickel plated steel, hardened tip - 2 3/8" long  (please see attached picture in Annex A)  Invisible Fluorescent Pen, any color, felt tip, heat-proof, non-toxic, waterproof, 5 inches long  (please see attached picture in Annex A)  18 kilo Plaster of Paris, white/offwhite/grayish finish  19 bottle Iodine Crystal, 50 grams/bottle  20 kilo Potassium Nitrate Powder  21 kilo Paraffin Wax  22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle  23 piece Ninhydrin Spray, 250ml  24 tube Fingerprint Ink, 4 oz  25 jar Fingerprint Powder black 2 oz  26 jar Fingerprint Powder white 2 oz  27 jar Fingerprint Powder white 2 oz  28 jar Fingerprint Powder orange 2 oz  29 jar Fingerprint Powder orange 2 oz  30 piece  Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8"  2 (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor  1 miger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	11	unit		3	
13   piece   Magnifying Glass with handle- 90mm diameter   40     14   piece   Finger Camel Hair Latent Print Brush 7"L with clear plastic tube storage   Fingerprint Ink Roller, 4 inches   4     15   piece   Fingerprint Ink Roller, 4 inches   4     16   piece   Ridger Counter Fixed Tip, nickel plated steel, hardened tip – 2 3/8" long   6     16   piece   (please see attached picture in Annex A)   1     17   piece   (please see attached picture in Annex A)   1     18   kilo   Plaster of Paris, white/offwhite/grayish finish   10     19   bottle   Iodine Crystal, 50 grams/bottle   3     20   kilo   Potassium Nitrate Powder   5     21   kilo   Paraffin Wax   6     22   bottle   Ninhydrin Chemical 2% reagent, 500 ml/bottle   6     23   piece   Ninhydrin Spray, 250ml   1     24   tube   Fingerprint Ink, 4 oz   4     25   jar   Fingerprint Powder white 2 oz   3     26   jar   Fingerprint Powder white 2 oz   3     27   jar   Fingerprint Powder orange 2 oz   3     28   jar   Fingerprint Powder gray 2 oz   3     29   jar   Fingerprint Powder gray 2 oz   3     30   piece   Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8"   2     (please see attached picture in Annex A)   Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews   (please see attached picture in Annex A)   Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor   1	12	pack	<u> </u>	3	
clear plastic tube storage piece piece (please see attached picture in Annex A) Ridge Counter Fixed Tip, nickel plated steel, hardened tip – 2 3/8" long (please see attached picture in Annex A) Invisible Fluorescent Pen, any color, felt tip, heatproof, non-toxic, waterproof, 5 inches long (please see attached picture in Annex A)  18 kilo Plaster of Paris, white/offwhite/grayish finish 10 19 bottle Iodine Crystal, 50 grams/bottle 3 20 kilo Potassium Nitrate Powder 5 21 kilo Paraffin Wax 6 22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle 6 23 piece Ninhydrin Spray, 250ml 1 24 tube Fingerprint Ink, 4 oz 25 jar Fingerprint Powder black 2 oz 3 26 jar Fingerprint Powder red 2 oz 3 27 jar Fingerprint Powder red 2 oz 3 28 jar Fingerprint Powder rorange 2 oz 3 29 jar Fingerprint Powder gray 2 oz  Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8" 2 (please see attached picture in Annex A) Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews (please see attached picture in Annex A) Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	13	piece	•	40	
Fingerprint Ink Roller, 4 inches (please see attached picture in Annex A) Ridge Counter Fixed Tip, nickel plated steel, hardened tip – 2 3/8" long  (please see attached picture in Annex A)  Invisible Fluorescent Pen, any color, felt tip, heatproof, non-toxic, waterproof, 5 inches long (please see attached picture in Annex A)  18 kilo Plaster of Paris, white/offwhite/grayish finish 10 19 bottle Iodine Crystal, 50 grams/bottle 3 20 kilo Potassium Nitrate Powder 5 21 kilo Paraffin Wax 6 22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle 6 23 piece Ninhydrin Spray, 250ml 1 24 tube Fingerprint Ink, 4 oz 4 25 jar Fingerprint Powder black 2 oz 3 26 jar Fingerprint Powder white 2 oz 3 27 jar Fingerprint Powder red 2 oz 3 28 jar Fingerprint Powder orange 2 oz 3 3 30 piece 1-15mm, 1/8"-5/8" 2 (please see attached picture in Annex A) Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews (please see attached picture in Annex A) Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	14	piece		10	
Ridge Counter Fixed Tip, nickel plated steel, hardened tip – 2 3/8" long  (please see attached picture in Annex A)  Invisible Fluorescent Pen, any color, felt tip, heatproof, non-toxic, waterproof, 5 inches long  (please see attached picture in Annex A)  18 kilo Plaster of Paris, white/offwhite/grayish finish  10 bottle Iodine Crystal, 50 grams/bottle  20 kilo Potassium Nitrate Powder  21 kilo Paraffin Wax  6  22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle  6  23 piece Ninhydrin Spray, 250ml  1 tube Fingerprint Ink, 4 oz  24 tube Fingerprint Powder black 2 oz  25 jar Fingerprint Powder white 2 oz  26 jar Fingerprint Powder white 2 oz  27 jar Fingerprint Powder orange 2 oz  3 Fingerprint Powder orange 2 oz  3 Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8"  2 (please see attached picture in Annex A)  Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews  (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	15	piece	Fingerprint Ink Roller, 4 inches	4	
Invisible Fluorescent Pen, any color, felt tip, heat-proof, non-toxic, waterproof, 5 inches long (please see attached picture in Annex A)  18 kilo Plaster of Paris, white/offwhite/grayish finish 10  19 bottle Iodine Crystal, 50 grams/bottle 3 20 kilo Potassium Nitrate Powder 5 21 kilo Paraffin Wax 6 22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle 6 23 piece Ninhydrin Spray, 250ml 1 24 tube Fingerprint Ink, 4 oz 4 25 jar Fingerprint Powder black 2 oz 3 26 jar Fingerprint Powder white 2 oz 3 27 jar Fingerprint Powder red 2 oz 3 28 jar Fingerprint Powder orange 2 oz 3 3 29 jar Fingerprint Powder gray 2 oz  Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8" 2 (please see attached picture in Annex A)  Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews  (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor  1	16	piece	Ridge Counter Fixed Tip, nickel plated steel, hardened tip – 2 3/8" long	6	
18     kilo     Plaster of Paris, white/offwhite/grayish finish     10       19     bottle     Iodine Crystal, 50 grams/bottle     3       20     kilo     Potassium Nitrate Powder     5       21     kilo     Paraffin Wax     6       22     bottle     Ninhydrin Chemical 2% reagent, 500 ml/bottle     6       23     piece     Ninhydrin Spray, 250ml     1       24     tube     Fingerprint Ink, 4 oz     4       25     jar     Fingerprint Powder black 2 oz     3       26     jar     Fingerprint Powder white 2 oz     3       27     jar     Fingerprint Powder red 2 oz     3       28     jar     Fingerprint Powder orange 2 oz     3       30     piece     Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8"     2       30     piece     (please see attached picture in Annex A)     2       Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews     1       31     unit     (please see attached picture in Annex A)     1       Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor     1	17	piece	Invisible Fluorescent Pen, any color, felt tip, heat- proof, non-toxic, waterproof, 5 inches long	2	
20 kilo Potassium Nitrate Powder 5  21 kilo Paraffin Wax 6  22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle 6  23 piece Ninhydrin Spray, 250ml 1  24 tube Fingerprint Ink, 4 oz 4  25 jar Fingerprint Powder black 2 oz 3  26 jar Fingerprint Powder white 2 oz 3  27 jar Fingerprint Powder red 2 oz 3  28 jar Fingerprint Powder orange 2 oz 3  29 jar Fingerprint Powder gray 2 oz 3  30 piece 7  30 piece 1-15mm, 1/8"-5/8" 2  (please see attached picture in Annex A) Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor 1	18	kilo		10	
21 kilo Paraffin Wax  22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle  23 piece Ninhydrin Spray, 250ml  24 tube Fingerprint Ink, 4 oz  25 jar Fingerprint Powder black 2 oz  26 jar Fingerprint Powder white 2 oz  27 jar Fingerprint Powder red 2 oz  28 jar Fingerprint Powder orange 2 oz  3	19	bottle	Iodine Crystal, 50 grams/bottle	3	
22 bottle Ninhydrin Chemical 2% reagent, 500 ml/bottle  23 piece Ninhydrin Spray, 250ml  24 tube Fingerprint Ink, 4 oz  25 jar Fingerprint Powder black 2 oz  26 jar Fingerprint Powder white 2 oz  3 27 jar Fingerprint Powder red 2 oz  3 28 jar Fingerprint Powder orange 2 oz  3 29 jar Fingerprint Powder gray 2 oz  3 3 29 jar Fingerprint Powder gray 2 oz  4 20 20 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	20	kilo	Potassium Nitrate Powder	5	
23 piece Ninhydrin Spray, 250ml  24 tube Fingerprint Ink, 4 oz  25 jar Fingerprint Powder black 2 oz  26 jar Fingerprint Powder white 2 oz  27 jar Fingerprint Powder red 2 oz  28 jar Fingerprint Powder orange 2 oz  3 29 jar Fingerprint Powder gray 2 oz  3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	21	kilo	Paraffin Wax	6	
24 tube Fingerprint Ink, 4 oz 4  25 jar Fingerprint Powder black 2 oz 3  26 jar Fingerprint Powder white 2 oz 3  27 jar Fingerprint Powder red 2 oz 3  28 jar Fingerprint Powder orange 2 oz 3  29 jar Fingerprint Powder gray 2 oz 3  30 piece Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8" 2  (please see attached picture in Annex A)  Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews  (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor 1	22	bottle	Ninhydrin Chemical 2% reagent, 500 ml/bottle	6	
25 jar Fingerprint Powder black 2 oz 3  26 jar Fingerprint Powder white 2 oz 3  27 jar Fingerprint Powder red 2 oz 3  28 jar Fingerprint Powder orange 2 oz 3  29 jar Fingerprint Powder gray 2 oz 3  30 piece Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8" 2  (please see attached picture in Annex A)  Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor 1	23	piece	Ninhydrin Spray, 250ml	1	
26 jar Fingerprint Powder white 2 oz 3  27 jar Fingerprint Powder red 2 oz 3  28 jar Fingerprint Powder orange 2 oz 3  29 jar Fingerprint Powder gray 2 oz 3  30 piece Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8" 2  (please see attached picture in Annex A)  Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews  (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor 1	24	tube	Fingerprint Ink, 4 oz	4	
27 jar Fingerprint Powder red 2 oz  28 jar Fingerprint Powder orange 2 oz  3 29 jar Fingerprint Powder gray 2 oz  3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	25	jar	Fingerprint Powder black 2 oz	3	
28 jar Fingerprint Powder orange 2 oz  29 jar Fingerprint Powder gray 2 oz  30 piece Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8"  2 (please see attached picture in Annex A)  Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews  (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	26	jar	Fingerprint Powder white 2 oz	3	
29 jar Fingerprint Powder gray 2 oz  Tapper Gauge, stainless steel, measuring range: 1-15mm, 1/8"-5/8"  2 (please see attached picture in Annex A)  Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews  (please see attached picture in Annex A)  (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	27	jar	Fingerprint Powder red 2 oz	3	
Tapper Gauge, stainless steel, measuring range:  1-15mm, 1/8"-5/8"  2  (please see attached picture in Annex A)  Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews  1  (please see attached picture in Annex A)  (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor  1	28	jar	Fingerprint Powder orange 2 oz	3	
30 piece 1-15mm, 1/8"-5/8"  (please see attached picture in Annex A)  Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews  (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	29	jar	Fingerprint Powder gray 2 oz	3	
Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews  (please see attached picture in Annex A)  Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	30	piece	1-15mm, 1/8"-5/8"	2	
Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	31	unit	Vernier Caliper - 145mm caliper 0.001, dual scale with both metric & imperial rating, hardened steel, with fine adjustment mechanism with lockscrews	1	
	32	set	Trigger pull Measuring device, digital, 0-12 lbs range, with arm fold inside housing, audible indicator tone, load sensor	1	

33	Heavy duty Digital Compass, for navigation or direction, high precision			
34	piece	Ballistic Safety Glasses- clear lens, adjustable rubberized nose pads and temple bars	2	
35	piece	Hearing Protector- collapsible headband, protective storage pocket or bag, rifle butt, foldable, black, noise reduction rating: 27 dB	2	
36	set	Pica, Elite, Typewriting and Space Test Plates, 10 x 8 x 1/16 (25.4cm x 20.3cm x 1.6mm); Weight 7.8 oz. (221g)	2	
37	roll	Sublimation Roll Paper, Specs- 8.5 inches x 100 meters, 100 gsm  (please see attached picture in Annex A)	23	
		TOTAL	174	

## Checklist of Technical and Financial Documents

### **Checklist of Technical and Financial Documents**

### I. TECHNICAL COMPONENT ENVELOPE

	Class "A" Documents
<u>Legal Do</u>	ocuments
(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages)
	in accordance with Section 8.5.2 of the IRR;
<u>Technica</u>	al Documents
(b)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a
	certification issued by the Insurance Commission or Original copy of
	Notarized Bid Securing Declaration; <u>and</u>
(c)	Conformity with the Technical Specifications, which may include
	production/delivery schedule, manpower requirements, and/or after-
	sales/parts, if applicable; and
(d)	Original duly signed Omnibus Sworn Statement (OSS) and if applicable,
	Original Notarized Secretary's Certificate in case of a corporation,
	partnership, or cooperative; or Original Special Power of Attorney of all
	members of the joint venture giving full power and authority to its officer to
( )	sign the OSS and do acts to represent the Bidder; and
(e)	Brochures for the items to be bid.
II. FINANC	IAL COMPONENT ENVELOPE
(f)	Original of duly signed and accomplished Financial Bid Form; and
(g)	Original of duly signed and accomplished Price Schedule(s).



### Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

[-----g good nem man and ------

### For Goods Offered from Within the Philippines

Name of Bidder					Project ID No			Page _	of
1	2	3	4	5	6	7	8	9	10
Item	Description	Country	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+ 8)	Total Price delivered Final Destination (col 9) x (col 4)
Name:									
Legal	Legal Capacity:								
Signature:									
Duly	Duly authorized to sign the Bid for and behalf of:								