

BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505 Telephone: (042) 567-5952 Email: bac@rsu.edu.ph Website: rsu.edu.ph





#### BID BULLETIN

#### Clarification No. 1

Solicitation No.: RSU-2024-06-055

TO

.

:

All Prospective Bidders

SUBJECT

Change/Modification of the Specifications in all attached/associated documents in the Philippine Bidding

Documents (PBDs), and Technical Specifications

DATE

: 01 July 2024

This Bid Bulletin is issued to inform all prospective bidders of the change/modification of the specifications in all attached/associated documents in the PBDs, and Technical Specifications. Please take notice of these changes.

Supply and Delivery of Office, ICT, and Janitorial Equipment and Supplies for the Different Offices of Romblon State University (ABC: PhP944,954.00)

#### FROM

ITEM NO.	UNIT	ITEM DESCRIPTION	QTY	STATEMENT OF COMPLIANCE
		Gender and Development Office		
1	piece	File Arch w/ lever arm 2-ring, D-type (2.5") Legal size (black)	20	
2	bottle	Ink for Printer, Epson 004 (Black) 65ml	10	
3	bottle	Ink for Printer, Epson 004 (Cyan) 65ml	10	
4	bottle	Ink for Printer, Epson 004 (Yellow) 65ml	10	
5	bottle	Ink for Printer, Epson 004 (Magenta) 65ml	10	
6	bottle	Ink for Printer, Epson 008 (Black) 65ml	15	
7	bottle	Ink for Printer, Epson 008 (Cyan) 65ml	15	
8	bottle	Ink for Printer, Epson 008 (Yellow) 65ml	15	
9	bottle	Ink for Printer, Epson 008 (Magenta) 65ml	15	
10	bottle	Ink, Stamp Pad, Purple or Violet, 50ml	2	
11	piece	Scissors, 6" stainless steel	1	
12	pad	Sticky note pad 1-1/2" x 2" (assorted color)	3	
13	pad	Sticky note pad 3" x 3" (assorted color)	3	
14	box	Thumbtacks No. 153, 20g	2	
15	box	Pencil Eraser, 1.5 x 2x 4 cm	3	
16	pack	Envelope Mailing, Long, 100 pcs	2	
17	pack	Envelope Mailing, Short, 100 pcs	2	

<sup>&</sup>lt;sup>1</sup> [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]









18	box	Marker, Permanent, Refillable, Broad, Black (12pcs)	1	
19	bottle	Air Freshener, 300 ml	3	
20	bottle	Disinfectant Spray, 510 ml	3	
21	piece	Dust Pan, non-rigid plastic, with detachable hand 11" x 12" x 24"	1	
22	liter	Muriatic Acid, 2L	1	
23	pack	Tissue 3-ply (12 rolls/pack)	2	
24	bottle	Toilet Bowl and Urinal Cleaner, 900-1000ml	2	
25	piece	Toilet Deodorizer, gel	5	
26	unit	Stand Fan, 18" dia. Plastic Blade Push Button Switch  Please see attached picture in Annex A	1	
27	unit	Heavy Duty Paper Cutter Page Capacity 400 sheets, Blade Type Straight Cut, PVC Capability 10 sheets Max, Cut Length 446 mm  Please see attached picture in Annex A	1	
28	unit	Paper Shredder-Heavy Duty Office Shredder for paper, CD and Card, Heavy Duty Office Shredder Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), On/Off-Forward-Auto reverse, Energy-Saving technology power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min	1	
29	unit	Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va	1	
30	unit	SD-309 Dual Wireless Microphone Bluetooth Speaker Mobile Wireless Karaoke Speaker Wireless Stereo Black 30W SDRD Speaker Set Please see attached picture in Annex A	1	
31	piece	Maintenance box for Epson L6490	1	
32	pack	Battery, Size AA-Heavy Duty 4pcs/pack	2	
		Office of the Internal Audit for Infrastructure Fa	acilities	
33	unit	Carrier FP – 53GCVB013 1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A)	1	







34	Bottle	Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): 1/4 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please see attached picture in Annex A  Extension and Technical Advisory Services O Ink genuine, 1 set CMYK (Size 70ml ), Inks for 003 Ink genuine, 1 set CMY (Size 70ml ) K (Size	ffice 7	
36	Bottle Bottle	127ml), Inks for 001 Ink genuine, 1 set CMY (Size 70ml) K (Size 127ml), Inks for 008	4	
37	Bottle	Air Freshener, 320ml, any scent	8	
38	Bottle	Antibacterial Liquid Hand Soap, 500ml	4	
39	Pack	1 Ply- 175 pulls Interfolded Paper Towel	50	
39	I ack	Research, Development, and Innovation	30	
40	Unit	External Hard Drive, SSD, 1TB, USB 3.0	1	
41	Bottle	Ink genuine, 1 set CMYK (Size 70ml), Inks for 003	4	-
42	Bottle	Ink genuine, 1 set CMY (Size 70ml), Inks for 005  127ml), Inks for 001	10	
43	bottle	Ink genuine, 1 set CMY (Size 70ml ) K (Size 127ml), Inks for 008	6	
44	piece	Keyboard, wireless (2.4G Wireless and bluetooth dual modes, USB+Type C Dual Receiver)	2	
45	piece	Printer Maintenance Box (C9345)	5	
46	piece	Printer Maintenance Box (C13T04D100)	5	
47	bottle	Air Freshener, 320ml, any scent	10	
48	bottle	Antibacterial Liquid Hand Soap, 500ml	9	
49	pack	1 Ply- 175 pulls Interfolded Paper Towel	50	
50	set	AAA Rechargeable Battery, recharge up to 2100 times, min 1900 mAh, with charger	2	
51	set	AA Rechargeable Battery, recharge up to 2100 times, min 1900 mAh, with charger	1	
52	box	Ballpen, 0.7mm, Ballpoint, Black (12 pcs/box)	3	
53	box	Ballpen, 0.7mm, Ballpoint, Blue (12 pcs/box)	3	
54	piece	Calculator, 16 Digit, Heavy Duty	1	
55	ream	Paper, Bond, 8.5" x 13", Legal Size, Ultra White 80gsm	65	
56	ream	Paper, Bond, 8.27" x 11.69", A4 Size, Ultra White 80gsm	30	
57	pack	Paper Sticker, A4 matte 10 sheets/pack	10	
58	pack	Photo Paper RC Woven Satin with 260gsm A4 Size (20 Sheets)	38	
59	pack	Specialty Board, White, A4 10 Sheets/pack 220gsm	25	
60	piece	Sharpener, Single Cutterhead heavy-duty	1	
61	roll	Tape, Double Sided Adhesive, 24mm thickness x 10m width	115	



BIDS AND AWARDS COMMITTEE



Management System ISO 9001:2015



Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505 Telephone: (042) 567-5952 Email: bac#rsu.edu.ph Website: rsu.edu.ph

62	roll	Tape, Double Sided Adhesive, 54mm x 10m width	30	
63		Tape, Transparent 24mm x 10m width, usable		
03	roll	length	8	
64		T Shape Acrylic Display Stand A4 Sign Holder		
O-T	piece	Double Sided Frame – Portrait	45	
65		T Shape Acrylic Display Stand A4 Sign Holder		
00	piece	Double Sided Frame - Landscape	25	
		College of Business and Accountancy		
66	unit	Printer – All in one Tank Printer with ADF, Long Scan Printer  Print, Scan, Copy, Fax with ADF Compact integrated tank design High yield ink bottles Spill-free, error-free refilling Wi-Fi, Wi-Fi Direct Seamless setup Borderless printing up to 4R  Please see attached picture in Annex A	2	
67	unit	Printing Method Epson print head Nozzle configuration 180 Nozzles Black, 59 Nozzles per Color 3pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink Print Resolution, 5,760 x 1,440 DPI All-in-one Functions: Print, Scan, Copy Output Tray Capacity: 30 sheets  Please see attached picture in Annex A	6	
68	piece	LED Bulb, 20 watts	50	
69	box	Correction Tape (24pcs/box)	2	
70	ream	Folder, White, Legal Size, 100pcs/ream	2	
71	ream	Paper, Bond, 8.5" x 11", Letter size, subs. 20	20	
72	ream	Paper, Bond, 8.5" x 13", Legal size, subs. 20	40	
73	ream	Paper, Bond, 8.5" x 13", Legal size, White Wove	100	
74	pack	Photopaper, High Glossy A4 135gsm (100 sheets/pack)	2	
75	pack	Photo sticker paper, Glossy A4 (20 pcs/pack)	3	
76	pack	Photopaper, Glossy, Double sided A4 300gsm (50 sheets/pack)	3	
77	box	Sign pen - Ballpoint, 0.5mm (Blue) (12pcs/box)	10	
78	pack	Specialty board paper, Legal size GSM 180 - White (10 sheets)	20	
79	box	Staple wire #35	10	
80	roll	Tape, Double sided 24mm, 1" width	5	
81	roll	Tape, Double sided 48mm, 2" width	5	
	rol1	Tape, Transparent 24mm, 1" width	5	
82	1011	rape, fransparent 24mm, i width	O.	









		TOTAL	1,964	
103	piece	Epson Wf-C5790 Maintenance Box	3	
102	cartridg e	Epson Wf-C5790 Ink Yellow (T9484); size: Standard (3,000 pages)	5	
101	cartridg e	Epson Wf-C5790 Ink Magenta (T9483); size: Standard (3,000 pages)	5	
100	cartridg e	Epson Wf-C5790 Ink Cyan (T9482); size: Standard (3,000 pages)	5	
99	cartridg e	Epson Wf-C5790 Ink Black (T9501); size: XL (10,000 pages)	3	
		Office of the Chief Administrative Office	r	
98	рс	PVC ID Card Blank 3.375" x 2.125" x 0.76mm; Pre-Cut Glossy for Thermal Direct to Card Printers  Please see attached picture in Annex A	500	
97	pc	ID Lanyard 1" Sublimation Print  Please see attached picture in Annex A	300	
		Office of Media and Public Affairs		
96	рс	Toilet Deodorizer, 50g, gel	10	
95	set	Toilet bowl Brush and Holder Set	8	
94	bottle	Toilet Bowl and Urinal cleaner (1000 ml)	20	
93	bottle	Dishwashing liquid 478ml	10	
92	pack	Detergent Powder Soap, 1kg/pack	5	
91	can	Multi-insect killer water base, 500ml	5	
90	pack	Bathroom tissue 2-ply (12 rolls /pack)	12	
89	can	Air freshener, 300 ml, any scent	10	
88	liter	Universal Ink – black	10	
87	pc	Webcam, 1080p	1	
86	pc	HDMI Cable, 10meters	12	
84	unit	External CD/DVD Drive External Hard Drive, SSD, 2TD, USB 3.0	1	



BIDS AND AWARDS COMMITTEE





Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505 Telephone: (042) 567-5952 Email: bac@rsu.edu.ph
Website: rsu.edu.ph

#### Annex A

#### Item No. 26





Item No. 28







BIDS AND AWARDS COMMITTEE




System ISO 9001:2015



Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505 Telephone: (042) 567-5952 Email: bac@rsu.edu.ph Website: rsu.edu.ph



Item No. 33



Item No. 66





BIDS AND AWARDS COMMITTEE










Item No. 97



Item No. 98





BIDS AND AWARDS COMMITTEE







#### TO

NO.	UNIT	ITEM DESCRIPTION	QTY	STATEMENT OF COMPLIANCE <sup>2</sup>
		Gender and Development Office		
1	piece	File Arch w/ lever arm 2-ring, D-type (2.5") Legal size (black)	20	
2	bottle	Ink for Printer, Epson 004 (Black) 65ml	10	
3	bottle	Ink for Printer, Epson 004 (Cyan) 65ml	10	
4	bottle	Ink for Printer, Epson 004 (Yellow) 65ml	10	
5	bottle	Ink for Printer, Epson 004 (Magenta) 65ml	10	
6	bottle	Ink for Printer, Epson 008 (Black) 65ml	15	
7	bottle	Ink for Printer, Epson 008 (Cyan) 65ml	15	
8	bottle	Ink for Printer, Epson 008 (Yellow) 65ml	15	
9	bottle	Ink for Printer, Epson 008 (Magenta) 65ml	15	
10	bottle	Ink, Stamp Pad, Purple or Violet, 50ml	2	
11	piece	Scissors, 6" stainless steel	1	
12	pad	Sticky note pad 1-1/2" x 2" (assorted color)	3	
13	pad	Sticky note pad 3" x 3" (assorted color)	3	
14	box	Thumbtacks No. 153, 20g	2	
15	box	Pencil Eraser, 1.5 x 2x 4 cm	3	
16	pack	Envelope Mailing, Long, 100 pcs	2	
17	pack	Envelope Mailing, Short, 100 pcs	2	
18	box	Marker, Permanent, Refillable, Broad, Black (12pcs)	1	
19	bottle	Air Freshener, 320 ml, Lavender scent	3	
20	bottle	Disinfectant Spray, 510 ml	3	
21	piece	Dust Pan, non-rigid plastic, with detachable hand 11" x 12" x 24"  Please attach brochure	1	
22	liter	Muriatic Acid, 2L	1	
23	pack	Tissue 3-ply (12 rolls/pack)	2	
24	bottle	Toilet Bowl and Urinal Cleaner, 900-1000ml	2	
25	piece	Toilet Deodorizer, gel	5	
26	unit	Stand Fan, 18" dia. Plastic Blade Push Button Switch  Please attach brochure Please see attached picture in Annex A	1	
27	unit	Heavy Duty Paper Cutter	1	

<sup>&</sup>lt;sup>2</sup> [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]







Cut, PVC Capability 10 sheets Max, Cut Length 446 mm  Please attach brochure Please see attached picture in Annex A  Paper Shredder-Heavy Duty Office Shredder Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), On/Off- Forward-Auto reverse, Energy-Saving technology power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min  Please attach brochure Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, UPS 1500va; UPS 1500va; UPS Charging Port 1500va; UPS 1500va  unit Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  unit Please attached picture in Annex A  1 piece Maintenance box for Epson L6490  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 49 (1.1 – 6.1) A Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A  Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm  Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attached picture in Annex A  Extension and Technical Advisory Services Office Max Pipe Length: 20m  Elease attached picture in Annex A  Extension and Technical Advisory Services Office  In Refrigerant: R32 or R410A  Extension and Technical Advisory Services Office			Page Capacity 400 sheets, Blade Type Straight		
Please attach brochure Please see attached picture in Annex A  Paper Shredder-Heavy Duty Office Shredder for paper, CD and Card, Heavy Duty Office Shredder Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), On/Off-Forward-Auto reverse, Energy-Saving technology power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min  Please attach brochure Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS Battery Back-up, UPS 1500va (Uninterruptible Power Supply) with 8 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va UPS 1500					
Please see attached picture in Annex A Paper Shredder-Heavy Duty Office Shredder for paper, CD and Card, Heavy Duty Office Shredder Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), 0 n/ Office The Annex A of the Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), 0 n/ Office The Annex A office and the Shred Shred Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), 0 n/ Office The Annex A office and the Shred Shreds Sh			446 mm		
Please see attached picture in Annex A Paper Shredder-Heavy Duty Office Shredder for paper, CD and Card, Heavy Duty Office Shredder Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), On/Off-Worard-Auto reverse, Energy-Saving technology power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min  Please sea attach brochure Please see attached picture in Annex A UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 1 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A 31 piece Maintenance box for Epson L6490 1 32 pack Battery, Size A-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WSDXH): 798 x 240 x 293mm Packaging (WSDXH): 862 x 280 x 350mm Net /Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A Extension and Technical Advisory Services Office					
Paper Shredder-Heavy Duty Office Shredder for paper, CD and Card, Heavy Duty Office Shredder Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), On/Off-Forward-Auto reverse, Energy-Saving technology power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min  Please attach brochure Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 1 2 Sockets UPS UPS 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1  32 pack Maintenance box for Epson L6490 1  32 pack Maintenance box for Epson L6490 1  34 pack Maintenance box for Epson L6490 1  35 pack Maintenance box for Epson L6490 1  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net /Gross Weight: 9/10kg Pipe Diameter (kiquid/Gas): ¼ 3/8 inch Max Pipe Length: 20m Max Pipe Length: 20m  Please attached picture in Annex A  Extension and Technical Advisory Services Office			Carried States (Automobile State		
paper, CD and Card, Heavy Duty Office Shredder Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), On/Off- Forward-Auto reverse, Energy-Saving technology power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min  Please attach brochure Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490  32 pack Battery, Size AA-Heavy Duty 4pcs/pack  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
Shreds continuously for 30 minutes, Separate CD bin design, 8 sheets capacity (A4), On/Off-Off-Orward-Auto reverse, Energy-Saving technology power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min  Please attach brochure Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS upst UPS 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A)  Sound Level Low: 13 dB (A) Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
bin design, 8 sheets capacity (A4), On/Off- Forward-Auto reverse, Energy-Saving technology power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min  Please attach brochure Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 1 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1  Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attache picture in Annex A  Extension and Technical Advisory Services Office					
unit  Forward-Auto reverse, Energy-Saving technology power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min  Please attach brochure Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 1 2 Sockets UPS unit 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  30 unit  Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A)  Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
power off after 30 minutes of no use, Shred size: 2 x 12 mm, Shred Speed: 2.3m/min  Please attach brochure Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 1 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attached picture in Annex A  31 piece Maintenance box for Epson L6490 1 1 32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2 Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attached picture in Annex A Extension and Technical Advisory Services Office					
x 12 mm, Shred Speed: 2.3m/min  Please attach brochure Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 1 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 -14,760) KJ/HR Power Input: 1990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A 1 Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Length: 20m  Please attached picture in Annex A  Extension and Technical Advisory Services Office	28	unit		1	
Please stea attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼, 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			[PA7		
Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			x 12 mm, omed opecu. 2.5m/ mm	-	
Please see attached picture in Annex A  UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Please attach brochure		
UPS 1500va (Uninterruptible Power Supply) with 8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 1 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2 Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A Extension and Technical Advisory Services Office			The state of the s		
8 Sockets and 2 Sockets UPS Battery Back-up, Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490  32 pack Battery, Size AA-Heavy Duty 4pcs/pack  2 Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A)  8 Sound Level Low: 13 dB (A) Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net /Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
29 unit Voltage Regulator, Surge Protector 8 Sockets and 2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			* * * * * *		
2 Sockets UPS with 2 USB Charging Port 1500va; UPS 1500va  Dual Wireless Microphone Bluetooth on a speaker with a mic input  1 Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1 2 32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A)  33 unit Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ½ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office	29	unit		1	
Dual Wireless Microphone  Dual Wireless Microphone  With a mic input  1  Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 32 pack Battery, Size AA-Heavy Duty 4pcs/pack  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office	23	334.44		-	
Dual Wireless Microphone Bluetooth on a speaker with a mic input  Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A)  33 unit Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
with a mic input  Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490  32 pack Battery, Size AA-Heavy Duty 4pcs/pack  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
30 unit  Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 32 pack Battery, Size AA-Heavy Duty 4pcs/pack  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
Please attach brochure Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490  32 pack Battery, Size AA-Heavy Duty 4pcs/pack  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A)  Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office	30	unit	The state of the s	1	
Please see attached picture in Annex A  31 piece Maintenance box for Epson L6490 1  32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ½ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Please attach brochure		
31 piece Maintenance box for Epson L6490 1 32 pack Battery, Size AA-Heavy Duty 4pcs/pack 2  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			The state of the s		
32 pack Battery, Size AA-Heavy Duty 4pcs/pack  Office of the Internal Audit for Infrastructure Facilities  1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH - 230V -60Hz Capacity: 12,960 (3,312 - 14,760) KJ/HR Power Input: 990 (210 - 1,330) V EER: 13.1 (15.8 - 11.1) KJ/W-HR System Current: 4.9 (1.1 - 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ½ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office	31	piece		1	
1.5HP X Poer Gold 2 Inverter Split Wall Type Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ½ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ½ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office				acilities	
Aircon with Installation  Technical Supply: 1PH – 230V -60Hz Capacity: 12,960 (3,312 – 14,760) KJ/HR Power Input: 990 (210 – 1,330) V EER: 13.1 (15.8 – 11.1) KJ/W-HR System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A) Refrigerant: R32 or R410A Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ½ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			1.5HP X Poer Gold 2 Inverter Split Wall Type		
Capacity: 12,960 (3,312 – 14,760) KJ/HR  Power Input: 990 (210 – 1,330) V  EER: 13.1 (15.8 – 11.1) KJ/W-HR  System Current: 4.9 (1.1 – 6.1) A  Sound Level Low: 13 dB (A)  33 unit Refrigerant: R32 or R410A  Net Dimension (WxDxH): 798 x 240 x 293mm  Packaging (WxDxH): 862 x 280 x 350mm  Net/Gross Weight: 9/10kg  Pipe Diameter (Liquid/Gas): ¼ 3/8 inch  Max Pipe Height Difference: 12m  Max Pipe Length: 20m  Please attach brochure  Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
Capacity: 12,960 (3,312 – 14,760) KJ/HR  Power Input: 990 (210 – 1,330) V  EER: 13.1 (15.8 – 11.1) KJ/W-HR  System Current: 4.9 (1.1 – 6.1) A  Sound Level Low: 13 dB (A)  33 unit Refrigerant: R32 or R410A  Net Dimension (WxDxH): 798 x 240 x 293mm  Packaging (WxDxH): 862 x 280 x 350mm  Net/Gross Weight: 9/10kg  Pipe Diameter (Liquid/Gas): ¼ 3/8 inch  Max Pipe Height Difference: 12m  Max Pipe Length: 20m  Please attach brochure  Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
Power Input: 990 (210 – 1,330) V  EER: 13.1 (15.8 – 11.1) KJ/W-HR  System Current: 4.9 (1.1 – 6.1) A  Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A  Net Dimension (WxDxH): 798 x 240 x 293mm  Packaging (WxDxH): 862 x 280 x 350mm  Net/Gross Weight: 9/10kg  Pipe Diameter (Liquid/Gas): ½ 3/8 inch  Max Pipe Height Difference: 12m  Max Pipe Length: 20m  Please attach brochure  Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Technical Supply: 1PH - 230V -60Hz		
Power Input: 990 (210 – 1,330) V  EER: 13.1 (15.8 – 11.1) KJ/W-HR  System Current: 4.9 (1.1 – 6.1) A  Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A  Net Dimension (WxDxH): 798 x 240 x 293mm  Packaging (WxDxH): 862 x 280 x 350mm  Net/Gross Weight: 9/10kg  Pipe Diameter (Liquid/Gas): ½ 3/8 inch  Max Pipe Height Difference: 12m  Max Pipe Length: 20m  Please attach brochure  Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Capacity: 12,960 (3,312 - 14,760) KJ/HR		
System Current: 4.9 (1.1 – 6.1) A Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A  Net Dimension (WxDxH): 798 x 240 x 293mm  Packaging (WxDxH): 862 x 280 x 350mm  Net/Gross Weight: 9/10kg  Pipe Diameter (Liquid/Gas): ½ 3/8 inch  Max Pipe Height Difference: 12m  Max Pipe Length: 20m  Please attach brochure  Please see attached picture in Annex A  Extension and Technical Advisory Services Office			The same and the s		
Sound Level Low: 13 dB (A)  Refrigerant: R32 or R410A  Net Dimension (WxDxH): 798 x 240 x 293mm  Packaging (WxDxH): 862 x 280 x 350mm  Net/Gross Weight: 9/10kg  Pipe Diameter (Liquid/Gas): ½ 3/8 inch  Max Pipe Height Difference: 12m  Max Pipe Length: 20m  Please attach brochure  Please see attached picture in Annex A  Extension and Technical Advisory Services Office			EER: 13.1 (15.8 - 11.1) KJ/W-HR		
33 unit Refrigerant: R32 or R410A 1 Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ½ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			System Current: 4.9 (1.1 – 6.1) A		
Net Dimension (WxDxH): 798 x 240 x 293mm Packaging (WxDxH): 862 x 280 x 350mm Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ½ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Sound Level Low: 13 dB (A)		
Packaging (WxDxH): 862 x 280 x 350mm  Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ½ 3/8 inch  Max Pipe Height Difference: 12m  Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office	33	unit	Refrigerant: R32 or R410A	1	
Net/Gross Weight: 9/10kg Pipe Diameter (Liquid/Gas): ¼ 3/8 inch Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Net Dimension (WxDxH): 798 x 240 x 293mm		
Pipe Diameter (Liquid/Gas): ¼ 3/8 inch  Max Pipe Height Difference: 12m  Max Pipe Length: 20m  Please attach brochure  Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Packaging (WxDxH): 862 x 280 x 350mm		
Max Pipe Height Difference: 12m Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Net/Gross Weight: 9/10kg		
Max Pipe Length: 20m  Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Pipe Diameter (Liquid/Gas): 1/4 3/8 inch		
Please attach brochure Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Max Pipe Height Difference: 12m		
Please see attached picture in Annex A  Extension and Technical Advisory Services Office			Max Pipe Length: 20m		
Please see attached picture in Annex A  Extension and Technical Advisory Services Office					
Extension and Technical Advisory Services Office			Please attach brochure		
34   set   Ink genuine, 1 set CMYK (Size 70ml), Inks for 003   7				Office	
The state of the s	34	set	Ink genuine, 1 set CMYK (Size 70ml), Inks for 003	7	



BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505 Telephone: (042) 567-5952 Email: bac@rsu.edu.ph Website: rsu.edu.ph



Management System ISO 9001:2015



35	set	Ink genuine, 1 set CMY (Size 70ml) K (Size 127ml), Inks for 001	6	
36	set	Ink genuine, 1 set CMY (Size 70ml) K (Size 127ml), Inks for 008	4	
37	Bottle	Air Freshener, 320ml, any scent	8	
38	Bottle	Antibacterial Liquid Hand Soap, 500ml	4	
39	Pack	1 Ply- 175 pulls Interfolded Paper Towel	50	
		Research, Development, and Innovation		
40	Unit	External Hard Drive, SSD, 1TB, USB 3.0	1	
41	set	Ink genuine, 1 set CMYK (Size 70ml), Inks for 003	4	
42	set	Ink genuine, 1 set CMY (Size 70ml ) K (Size 127ml), Inks for 001	10	
43	set	Ink genuine, 1 set CMY (Size 70ml ) K (Size 127ml), Inks for 008	6	
44	piece	Keyboard, wireless (2.4G Wireless and bluetooth dual modes, USB+Type C Dual Receiver)	2	
45	piece	Printer Maintenance Box (C9345)	5	
46	piece	Printer Maintenance Box (C13T04D100)	5	
47	bottle	Air Freshener, 320ml, any scent	10	
48	bottle	Antibacterial Liquid Hand Soap, 500ml	9	
49	pack	1 Ply- 175 pulls Interfolded Paper Towel	50	
50	set	AAA Rechargeable Battery, recharge up to 2100 times, min 1900 mAh, with charger (4slots)	2	
51	set	AA Rechargeable Battery, recharge up to 2100 times, min 1900 mAh, with charger (4slots)	1	
52	box	Ballpen, 0.7mm, Ballpoint, Black (12 pcs/box)	3	
53	box	Ballpen, 0.7mm, Ballpoint, Blue (12 pcs/box)	3	
54	piece	Calculator, 16 Digit, Heavy Duty	1	
55	ream	Paper, Bond, 8.5" x 13", Legal Size, Ultra White 80gsm	65	
56	ream	Paper, Bond, 8.27" x 11.69", A4 Size, Ultra White 80gsm	30	
57	pack	Paper Sticker, A4 matte 10 sheets/pack	10	
58	pack	Photo Paper RC Woven Satin with 260gsm A4 Size (20 Sheets)	38	
59	pack	Specialty Board, White, A4 10 Sheets/pack 220gsm	25	
60	piece	Sharpener, Single Cutterhead heavy-duty  Please see attached picture in Annex A	1	
61	roll	Tape, Double Sided Adhesive, 24mm thickness x 10m width	115	
62	roll	Tape, Double Sided Adhesive, 54mm x 10m width	30	
63	roll	Tape, Transparent 24mm x 10m width, usable length	8	
64	piece	T Shape Acrylic Display Stand A4 Sign Holder Double Sided Frame – Portrait	45	
65	piece	T Shape Acrylic Display Stand A4 Sign Holder Double Sided Frame - Landscape	25	
		College of Business and Accountancy		



BIDS AND AWARDS COMMITTEE



Management System ISO 9001:2015



Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505 Telephone: (042) 567-5952 Email: bac@rsu.edu.ph Website: rsu.edu.ph

66	unit	Printer – All in one Tank Printer with ADF, Long Scan Printer  Print, Scan, Copy, Fax with ADF Compact integrated tank design High yield ink bottles Spill-free, error-free refilling Wi-Fi, Wi-Fi Direct Seamless setup Borderless printing up to 4R  Please see attached picture in Annex A	2
67	unit	Printer – All in one Tank Printer  Printing Method Epson print head Nozzle configuration 180 Nozzles Black, 59 Nozzles per Color 3pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink Print Resolution, 5,760 x 1,440 DPI All-in-one Functions: Print, Scan, Copy Output Tray Capacity: 30 sheets  Please see attached picture in Annex A	6
68	piece	LED Bulb, 20 watts	50
69	box	Correction Tape (24pcs/box)	2
70	ream	Folder, White, Legal Size, 100pcs/ream	2
71	ream	Paper, Bond, 8.5" x 11", Letter size, subs. 20	20
72	ream	Paper, Bond, 8.5" x 13", Legal size, subs. 20	40
73	ream	Paper, Bond, 8.5" x 13", Legal size, White Wove	100
74	pack	Photopaper, High Glossy A4 135gsm (100 sheets/pack)	2
75	pack	Photo sticker paper, Glossy A4 (20 pcs/pack)	3
76	pack	Photopaper, Glossy, Double sided A4 300gsm (50 sheets/pack)	3
77	box	Sign pen - Ballpoint, 0.5mm (Blue) (12pcs/box)	10
78	pack	Specialty board paper, Legal size GSM 180 - White (10 sheets)	20
79	box	Staple wire #35	10
80	roll	Tape, Double sided 24mm, 1" width	5
81	roll	Tape, Double sided 48mm, 2" width	5
82	roll	Tape, Transparent 24mm, 1" width	5
83	roll	Tape, transparent 48mm, 2" width	5
84	unit	External CD/DVD Drive	1
85	unit	External Hard Drive, SSD, 2TB, USB 3.0	1
86	pc	HDMI Cable, 10meters	12
87	pc	Webcam, 1080p	1
88	liter	Universal Ink – black	10
89	can	Air freshener, 320 ml, any scent	10
90	pack	Bathroom tissue 2-ply (12 rolls /pack)	12
91	can	Multi-insect killer water base, 500ml	5



BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan. Romblon 5505 Telephone: (042) 567-5952 Email: bac@rsu.edu.ph Website: rsu.edu.ph



Management System ISO 9001:2015



92	pack	Detergent Powder Soap, 1kg/pack	5	
93	bottle	Dishwashing liquid 47 <mark>5</mark> ml	10	
94	bottle	Toilet Bowl and Urinal cleaner (1000 ml)	20	
95	set	Toilet bowl Brush and Holder Set	8	
96	рс	Toilet Deodorizer, 50g	10	
		Office of Media and Public Affairs		
97	pc	ID Lanyard 1" Sublimation Print  Please see attached picture in Annex A	300	
98	рс	PVC ID Card Blank 3.375" x 2.125" x 0.76mm; Pre-Cut Glossy for Thermal Direct to Card Printers  Please see attached picture in Annex A	500	
		Office of the Chief Administrative Office		
99	cartridg e	Epson Wf-C5790 Ink Black (T9501); size: XL (10,000 pages)	3	
100	cartridg e	Epson Wf-C5790 Ink Cyan (T9482); size: Standard (3,000 pages)	5	
101	cartridg e	Epson Wf-C5790 Ink Magenta (T9483); size: Standard (3,000 pages)	5	
102	cartridg e	Epson Wf-C5790 Ink Yellow (T9484); size: Standard (3,000 pages)	5	
103	piece	Epson Wf-C5790 Maintenance Box	3	
		TOTAL		



BIDS AND AWARDS COMMITTEE







#### Annex A



Item No. 27



Item No. 28

















Item No. 33



Item No. 60















Item No. 66



Item No. 67



Item No. 97








BIDS AND AWARDS COMMITTEE

Community Outreach Center, RSU-Main Campus, Liwanag, Odiongan, Romblon 5505 Telephone: (042) 567-5952 Email: bac@rsu.edu.ph Website: rsu.edu.ph





#### Item No. 98



Please be advised that this bid bulletin is issued to amend the Specifications in all attached/associated documents. This shall be an integral part of the Bid Documents.

For information and guidance of all concerned.

ATTY. GLENN NIÑO M. SARTILLO
BAC Chairperson & jhoard # 7